

Axagon ACU-PQ67 PD3.0 & QC4+ 2xOUTPUTS wall charger 67W

Brand : Axagon

Product code: ACU-PQ67

Product name : ACU-PQ67 PD3.0 & QC4+ 2xOUTPUTS wall charger 67W

AXAGON ACU-PQ67 GaN Wall charger 67W, USB-A + USB-C, PD3.0/PPS/QC4+/SFC2.0/Apple
Axagon ACU-PQ67 PD3.0 & QC4+ 2xOUTPUTS wall charger 67W. Charger type: Indoor, Power source type: AC, Charger compatibility: Universal. Input voltage: 100 - 240 V. USB 2.0 ports quantity: 1, USB Type-C ports quantity: 1, Fast charging, Power protection features: Over current, Over voltage, Overheating, Short circuit. Product colour: Black, Grey



Performance		Power	
Charger compatibility *	Universal	Output current (9V)	3 A
Power source type *	AC	Output current (12V)	3 A
USB 2.0 ports quantity	1	Output current (15V)	3 A
USB Type-C ports quantity	1	Output current (20V)	3.35 A
Wireless charging	✗	Power plug type	Type C
Fast charging	✓	Weight & dimensions	
Fast charging technology	Quick Charge 3.0, Quick Charge 4+, Adaptive Fast Charging, Quick Charge 2.0, Power Delivery 2.0, Power Delivery 3.0, Super Fast Charging	Width	32 mm
Charger type *	Indoor	Depth	46 mm
Number of simultaneously connected devices (max) *	2	Height	90 mm
Programmable power supply (PPS)	✓	Weight	105 g
USB Power Delivery (USB PD)	✓	Packaging data	
USB Power Delivery revision	3.0	Package width	80 mm
Power protection features	Over current, Over voltage, Overheating, Short circuit	Package depth	40 mm
Design		Package height	100 mm
Product colour *	Black, Grey	Package weight	136 g
Housing material	Plastic, Aluminium	Package type	Hanging box
Plug and Play	✓	Packaging content	
Gallium nitride (GaN) transistors	✓	Quantity per pack	1 pc(s)
Power		Manual	✓
Input voltage	100 - 240 V	Certificates	
Input frequency	50/60 Hz	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Input current	1.8 A	Compliance certificates	CE, RoHS, Federal Communications Commission (FCC)
Port 1 output power	67 W	Certification	CE, RoHS
Port 2 output power	30 W	Sustainability	
		Doesn't contain	Lead, Mercury, Cadmium

Power		Logistics data	
Output current (5V)	3 A	Warranty period	3 year(s)
		Country of origin	China



8595247909138

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.