



TP-Link Omada 10-Port Gigabit Industrial Easy Managed Switch with 6-Port PoE+ and 2-Port PoE++

Brand : TP-Link

Product family: Omada

Product code: IES210GPP

Product name : Omada 10-Port Gigabit Industrial Easy Managed Switch with 6-Port PoE+ and 2-Port PoE++



2× PoE++, 6× PoE+, 2× RJ45/SFP, 12 Gbps, 8K MAC, 15 KB Jumbo, 155 x 120 x 60 mm

TP-Link Omada 10-Port Gigabit Industrial Easy Managed Switch with 6-Port PoE+ and 2-Port PoE++:

Omada Industrial 10-Port Gigabit Easy Managed PoE++ Switch

Industrial-Grade Protection Built for Harsh Environments

- 10× Gigabit Ports (2× PoE++, 6× PoE+, 2× RJ45/SFP Combo)
- 240W Total PoE Budget
- 40°C to 75°C Operating Temperature
- 12~57VDC 1+1 Redundant Power Input
- Industrial-Grade IP40 Aluminum Casing
- Abundant Functions for CCTV Networking
- Easy Centralised Management
- DIN-Rail & Wall Mounting

TP-Link Omada 10-Port Gigabit Industrial Easy Managed Switch with 6-Port PoE+ and 2-Port PoE++. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 8000 entries, Switching capacity: 20 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. DC input voltage: 12 - 57 V. Power over Ethernet (PoE). Rack mounting, Form factor: DIN rail



Management features		Data transmission	
Switch type *	Managed	Jumbo frames support	✓
Quality of Service (QoS) support	✓	Jumbo frames	15000
Web-based management	✓	Packet buffer memory	4000 MB
Cloud-managed	✓	Security	
Ports & interfaces		DHCP features	DHCP client
Basic switching RJ-45 Ethernet ports quantity *	8	IGMP snooping	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Loop protection	✓
Combo SFP ports quantity	2	Multicast features	
Network		Multicast support	✓
		Design	
Networking standards *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt	Rack mounting *	✓
10G support *	✗	Form factor	DIN rail
Port mirroring	✓	Product colour	Grey
Flow control support	✓	LED indicators	✓
Link aggregation	✓	Power	
Broadcast storm control	✓	Power source *	DC
Auto MDI/MDI-X	✓	DC input voltage	12 - 57 V
Ethernet LAN data rates	10,100,1000 Mbit/s	Power over Ethernet (PoE)	
Auto-negotiation	✓	Power over Ethernet (PoE) *	✓
VLAN support	✓	Power over Ethernet plus (PoE+) ports quantity	6
Number of VLANs	4000	Power over Ethernet 4PPoE (PoE++) ports quantity	2
Data transmission			
Switching capacity *	20 Gbit/s		


Data transmission		Power over Ethernet (PoE)	
Forwarding rate	14.88 Mpps	Total Power over Ethernet (PoE) budget	240 W
MAC address table *	8000 entries	Weight & dimensions	
Store-and-forward	✓	Width	155 mm
		Depth	120 mm
		Height	60 mm



1210002602112



1210002602129



0840460600958



840460600958

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.