



TP-Link Omada IES210GPP сетевой коммутатор Управляемый Gigabit Ethernet (10/100/1000) Питание по Ethernet (PoE) DIN-рейка Серый

Производитель : TP-Link **Семейство продуктов:** Omada **Код товара:** IES210GPP

Модель : IES210GPP

TP-Link Omada IES210GPP. Тип свича: Управляемый. Тип RJ-45 Ethernet портов для основного подключения: Gigabit Ethernet (10/100/1000), Количество RJ-45 Ethernet портов для основного подключения: 8. Размер адресной таблицы: 8000 записей, Коммутационная способность: 20 Gbit/s. Стандарты сети: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. Входящее напряжение постоянного тока: 12 - 57 V. Питание по Ethernet (PoE). Монтаж в стойку, Формат: DIN-рейка



Характеристики управления		Передача данных	
Тип свича *	Управляемый	Промежуточное хранение	✓
Поддержка Quality of Service (QoS)	✓	Поддержка Jumbo Frames	✓
Управление через веб-интерфейс	✓	джамбо кадры	15000
Облачное управление	✓	Пакетная буферная память	4000 MB
Порты и интерфейсы		Безопасность	
Количество RJ-45 Ethernet портов для основного подключения *	8	Функции DHCP	DHCP client
Тип RJ-45 Ethernet портов для основного подключения *	Gigabit Ethernet (10/100/1000)	Отслеживание сетевого трафика IGMP	✓
Количество комбинированных SFP портов	2	защита от петли	✓
Сеть		Характеристики многоадресной передачи	
Стандарты сети *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt	Поддержка многоадресной передачи	✓
Поддержка 10G *	✗	Дизайн	
Зеркальное отражение порта	✓	Монтаж в стойку *	✓
Поддержка управления потоками	✓	Формат	DIN-рейка
Объединение каналов	✓	Цвет товара	Серый
Контроль "широковещательного шторма"	✓	Светодиодные индикаторы	✓
Авто MDI/MDI-X	✓	Энергопитание	
Скорость передачи данных Ethernet LAN	10,100,1000 Мбит/с	Источник питания *	Постоянный ток
Автоматическое согласование	✓	Входящее напряжение постоянного тока	12 - 57 V
Поддержка VLAN	✓	Power over Ethernet (PoE)	
Число VLAN	4000	Питание по Ethernet (PoE) *	✓
		Количество портов PoE+	6
		Power over Ethernet 4PPoE (PoE++) ports quantity	2


Передача данных		Power over Ethernet (PoE)	
Коммутационная способность *	20 Gbit/s	Общий объем Power over Ethernet (PoE)	240 W
Скорость передачи	14,88 Mpps	Вес и размеры	
Размер адресной таблицы *	8000 записей		
		Ширина	155 mm
		Глубина	120 mm
		Высота	60 mm



1210002602112



1210002602129



0840460600958



840460600958

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.