



DELL PowerEdge T360 server 960 GB Tower (4.5U) Intel Xeon 6 6357P 3 GHz 64 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code: 6YVRW

Product name : T360

- No OS

- Intel Xeon 6 6357P (24MB Cache, 3GHz)

- 64GB DDR5-SDRAM (2 x 32) & 960GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon 6 6357P (24MB Cache, 3GHz), 64GB DDR5-SDRAM, 960GB SSD, LAN (Broadcom 5720), PERC H755 Adapter FH, iDRAC9, Enterprise 16G, 700W, No OS

DELL PowerEdge T360 server 960 GB Tower (4.5U) Intel Xeon 6 6357P 3 GHz 64 GB DDR5-SDRAM 700 W:

Processing performance, GPU support

The 4.5U, single-socket PowerEdge T360 is a specially designed form factor for customers desiring versatility, affordability, and processing power.

DELL PowerEdge T360. Processor family: Intel Xeon 6, Processor frequency: 3 GHz, Processor model: 6357P. Internal memory: 64 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 2 x 32 GB. Total storage capacity: 960 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 700 W. Chassis type: Tower (4.5U)



Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express x4 slots	2
Processor family *	Intel Xeon 6	Design	
Processor model *	6357P	Chassis type *	Tower (4.5U)
Processor frequency *	3 GHz	Product colour	Black
Processor boost frequency	5.4 GHz	Bezel	✓
Performance cores	8	Performance	
Processor cache	24 MB	Remote administration	iDRAC9, Enterprise 16G
Number of processors installed	1	Software	
Thermal Design Power (TDP)	80 W	Operating system installed *	✗
System bus rate	16 GT/s	Compatible operating systems *	Canonical Ubuntu Server LTS Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Processor threads	16		
Memory types supported by processor	DDR5-SDRAM	Power	
Memory clock speeds supported by processor	4800 MHz	Redundant power supply (RPS) support *	✗
Memory		Power supply *	700 W
Internal memory *	64 GB	Number of main power supplies	1
Internal memory type *	DDR5-SDRAM	Power supply input voltage	200 - 240 V
Buffered memory type	Unregistered (unbuffered)	Power cable length	2 m
Memory slots	4x DIMM	Power cable connector 1	C13 coupler
ECC	✓	Power cable connector 2	C14 coupler
Memory layout (slots x size)	2 x 32 GB	Power cable current	10 A
Memory data transfer rate	5600 MT/s	Operational conditions	
Maximum internal memory *	128 GB	Storage temperature (T-T)	-40 - 65 °C
Storage		Storage relative humidity (H-H)	5 - 95%
Total storage capacity *	960 GB	Operating altitude	0 - 2048 m
Number of SSDs installed	2		
SSD capacity	480 GB		

Storage		Operational conditions	
SSD interface	SATA III	Non-operating altitude	0 - 12000 m
SSD size	2.5"	Certificates	
Supported SSD sizes	3.5"	80 PLUS certification	80 PLUS Titanium
Number of SSDs supported	8	Carbon footprint	
RAID support *	✗	Total carbon footprint (kg of CO2e)	1409
Supported RAID controllers	PERC H755 Adapter FH	Total carbon emissions, standard deviation (kg of CO2e)	1213
Hot-Plug support	✓	Carbon emissions, manufacturing (kg of CO2e)	295.89
Optical drive type *	✗	Carbon emissions, logistics (kg of CO2e)	154.99
Storage drive adapter included	✓	Carbon emissions, energy usage (kg of CO2e)	929.94
Storage drive adapter type	2.5" - 3.5"	Carbon emissions, end-of-life (kg of CO2e)	28.18
Network		PAIA version	PAIA 1.4.0, 2024
LAN controller	Broadcom 5720	Weight & dimensions	
Ethernet LAN	✓	Width	175 mm
Cabling technology	10/100/1000Base-T(X)	Depth	581.1 mm
Ethernet interface type	Gigabit Ethernet	Other features	
Ports & interfaces		Data transfer rate	6 Gbit/s
Ethernet LAN (RJ-45) ports *	2	Bytes per sector	512
USB 2.0 ports quantity	3	Target workload	Read Intensive (RI)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4		
VGA (D-Sub) ports quantity	1		
Serial ports quantity	1		
Power cables quantity	2		



5397184960479

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.