

be quiet! Pure Base 600 Midi Tower Черный, Серебристый

Производитель : be quiet!

Код товара: BG022

Модель : Pure Base 600

be quiet! Pure Base 600. Формат: Midi Tower, Тип: ПК, Цвет товара: Черный, Серебристый. Поддерживаемые форм-факторы блока питания: ATX. Установленные вентиляторы (передняя панель): 1x 140 mm, Поддерживаемые диаметры вентиляторов (передняя панель): 120,140 mm, Установленные вентиляторы (задняя панель): 1x 120 mm. Поддерживаемые размеры жесткого диска: 2.5,3.5". Ширина: 220 mm, Глубина: 492 mm, Высота: 470 mm



Дизайн		Охлаждение	
Материал	ABS синтетика, Стальной	Максимальное количество вентиляторов (передняя панель)	3
Формат *	Midi Tower	Поддерживаемые диаметры вентиляторов (передняя панель)	120,140 mm
Тип *	ПК	Установленные вентиляторы (задняя панель)	1x 120 mm
Цвет товара *	Черный, Серебристый	Максимальное количество вентиляторов (задняя панель)	1
Поддерживаемые форм-факторы материнской платы *	ATX, Микро ATX, Mini-ITX	Поддерживаемые диаметры вентиляторов (задняя панель)	120 mm
Количество 3.5" отсеков *	3	Максимальное количество вентиляторов (верхняя панель)	3
Количество 5.25" отсеков *	2	Поддерживаемые диаметры вентиляторов (верхняя панель)	120,140 mm
Количество 2.5" слотов	8	возможность жидкостного охлаждения	✓
Количество расширительных разъемов	7	Поддерживаемые размеры переднего радиатора	120,140,240,280,360 mm
Боквое окно	✗	Поддерживаемые размеры заднего радиатора	120 mm
Подходит для	Игровой	Поддерживаются верхние размеры радиаторов	120,140,360 mm
Освещение	✗	Устройства хранения данных	
Максимальная высота кулера процессора	16,5 cm	Поддерживаемые размеры жесткого диска *	2.5,3.5"
Максимальная длина графического адаптера	28 cm	Вес и размеры	
Максимальная длина блока питания	21 cm	Ширина	220 mm
Сертификация	RoHS	Глубина	492 mm
Блок питания		Высота	470 mm
Блок питания в комплекте *	✗	Вес	7,44 kg
Поддерживаемые форм-факторы блока питания	ATX	Толщина материала	1 mm
Порты и интерфейсы			
Вход аудио	✓		
Выход аудио	✓		

Порты и интерфейсы		Данные об упаковке	
Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-A *	2	Масса брутто	8,74 kg
Охлаждение		Логистические данные	
Установленные вентиляторы (передняя панель)	1x 140 mm	Код гармонизированной системы описания (HS)	84733080



4260052185421

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.