




AEG GV77D61ST Wall-mounted Black 445 m³/h

Brand : AEG

Product code: 942 051 521

Product name : GV77D61ST

AEG GV77D61ST. Maximum extraction power: 445 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: A. Type: Wall-mounted, Product colour: Black, Control type: Touch. Grease filter type: Metal, Number of filters: 2 pc(s). Bulb power: 6 W, Number of bulbs: 2 bulb(s), Bulb type: LED. Energy efficiency class: A+, Annual energy consumption: 40.7 kWh, Energy efficiency scale: A+++ to D



Performance		Filtering	
Maximum extraction power *	445 m³/h	Grease filter type *	Metal
Type of extraction *	Ducted/Recirculating	Number of filters	2 pc(s)
Fluid dynamic efficiency class *	A	Lighting	
Lighting efficiency class *	A	Bulb power	6 W
Grease filtering efficiency class *	B	Number of bulbs	2 bulb(s)
Maximum recirculating power	440 m³/h	Bulb type	LED
Boost position air extraction power	760 m³/h	Colour temperature	3000 K
Boost position output recirculating power	725 m³/h	Lighting efficiency (LE)	42.8 lux/W
Number of speeds *	3	Power	
Intensive speed	✓	Energy efficiency class *	A+
Noise level *	55 dB	Energy efficiency scale	A+++ to D
Noise level (low speed)	43 dB	Connected load	260 W
Noise level (high speed)	55 dB	Power consumption (off)	0.49 W
Noise level (intensive speed)	67 dB	Annual energy consumption *	40.7 kWh
Airflow (low speed)	260 m³/h	AC input voltage	220-240 V
Minimum distance from electric hob	50 cm	Energy efficiency class (legacy scale)	A+
Minimum distance from gas hob	65 cm	Weight & dimensions	
Design		Width *	598 mm
Type *	Wall-mounted	Depth	410 mm
Product colour *	Black	Height (min)	126 cm
Hob²Hood function	✓	Weight	16.2 kg
Breeze function	✓	Packaging data	
Control type	Touch	Package weight	22.6 kg
Cord length	1.1 m		
Built-in display *	✗		

Design		Brand-specific features	
Exhaust connection diameter	15 cm	AEG technologies (air extraction)	Breeze Function, Carbon filter, Hob2Hood, SilenceTech
		Other features	
		Grease filtering efficiency (GFE)	85.1%
		Fluid dynamic efficiency (FDE)	34.8



7333394061719

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.