

## ASUS ROG -STRIX-1200P-GAMING power supply unit 1200 W 20+4 pin ATX ATX Black

**Brand :** ASUS

**Product family:** ROG

**Product code:** 90YE00W0-B0NA00

**Product name :** ROG-STRIX-1200P-GAMING



ATX 3.1, 1200W, 80Plus Platinum, 100-240V, 2.94 kg, Active PFC, ATX12V

ASUS ROG -STRIX-1200P-GAMING. Total power: 1200 W, AC input voltage: 100 - 240 V, Power Factor Correction (PFC) type: Active. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 61 cm, SATA power cable length: 120,400 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Platinum. Product colour: Black, Cooling type: Semi-passive, Number of fans: 1 fan(s). Width: 160 mm, Depth: 150 mm, Height: 86 mm



| Power                                         |                                                                      | Ports & interfaces                    |                  |
|-----------------------------------------------|----------------------------------------------------------------------|---------------------------------------|------------------|
| Total power *                                 | 1200 W                                                               | PCI Express power cable length        | 75 cm            |
| AC input voltage *                            | 100 - 240 V                                                          | CPU power connector (4+4 pin)         | ✓                |
| Power Factor Correction (PFC) type            | Active                                                               | CPU power cable length                | 100 cm           |
| Combined power (+3.3V)                        | 130 W                                                                | PCI Express connector                 | ✓                |
| Combined power (+12V)                         | 1200 W                                                               | Cabling type                          | Fully-Modular    |
| Combined power (+5V)                          | 130 W                                                                | Performance                           |                  |
| Combined power (-12V)                         | 3.6 W                                                                | 80 PLUS certification *               | 80 PLUS Platinum |
| Combined power (+5Vsb)                        | 15 W                                                                 | Purpose *                             | PC               |
| Max output current (+3.3V)                    | 25 A                                                                 | Power supply unit (PSU) form factor * | ATX              |
| Max output current (+12V)                     | 100 A                                                                | ATX version                           | 3.1              |
| Max output current (+5V)                      | 25 A                                                                 | Mean time between failures (MTBF)     | 120000 h         |
| Max output current (-12V)                     | 0.3 A                                                                | Design                                |                  |
| Max output current (+5Vsb)                    | 3 A                                                                  | Product colour                        | Black            |
| Power protection features                     | Over current, Over power, Over voltage, Short circuit, Under voltage | Cooling type                          | Semi-passive     |
| Ports & interfaces                            |                                                                      | Number of fans                        | 1 fan(s)         |
| Motherboard power connector *                 | 20+4 pin ATX                                                         | Fan location                          | Top              |
| Motherboard power cable length                | 61 cm                                                                | Illumination                          | ✓                |
| Number of SATA power connectors               | 6                                                                    | On/off switch                         | ✓                |
| SATA power cable length                       | 120,400 mm                                                           | Weight & dimensions                   |                  |
| Peripheral (Molex) power connectors (4-pin) * | 3                                                                    | Width                                 | 160 mm           |
| Peripheral (Molex) power cable length         | 150,400 mm                                                           | Depth                                 | 150 mm           |
| PCI Express power connectors (6+2 pin)        | 4                                                                    | Height                                | 86 mm            |
| PCI Express power connectors (16-pin)         | 1                                                                    | Weight                                | 2.94 kg          |
|                                               |                                                                      | Packaging data                        |                  |
|                                               |                                                                      | Package width                         | 320 mm           |
|                                               |                                                                      | Package depth                         | 200 mm           |

**Packaging data**

|                |        |
|----------------|--------|
| Package height | 108 mm |
| Package type   | Box    |



4711387594247



0197105594319



197105594319

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.