

Lenovo Legion H300 Austiņas Vadu Speļu Mels

Zīmols : Lenovo

Preces kods: GXD0T69863

Modeļa nosaukums : Legion H300


Lenovo Legion H300. Produkta veids: Austiņas. Savienojamības tehnoloģija: Vadu. Ieteicamais pielietojums: Speļu. Austiņu frekvence: 20 - 20000 Hz. Kabeļa garums: 1,8 m. Svars: 320 g. Produkta krāsa: Mels



Darbības rādītāji		Mikrofons	
Produkta veids *	Austiņas	Mikrofona virzienu tipi	Vienvirziena
Valkāšanas stils *	Austiņas	Salokāmais mikrofons	✓
Ieteicamais pielietojums *	Speļu	Mikrofona trokšņu slāpēšana	✓
Austiņu veids *	Binaurālās	Mikrofona klusinātājs	✓
Produkta krāsa *	Mels	Sistēmas prasības	
Skaļuma kontrole	Rotējošs	Atbalstītās Windows operētājsistēmas	Windows 10, Windows 7, Windows 8, Windows 8.1
Kabeļa garums	1,8 m	Mac saderība	✓
Savienojamie produkti	Xbox One, PlayStation 4, Nintendo Switch	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks	
Savienojamība		Mac operētājsistēmas atbalstītas	
Savienojamības tehnoloģija *	Vadu		
3.5 mm savienotājs	✓		
USB savienojamība	✗		
Bluetooth	✗		
Austiņas		Svars&dimensijas	
Osu savienošana *	Ausi pārklājošas	Platums	182 mm
Akustiskā sistēma	Slēgts	Dziļums	210 mm
Austiņu frekvence	20 - 20000 Hz	Augstums	92 mm
Pilna pretestība	32 Ω	Svars	320 g
Austiņu jutīgums	99 dB	Informācija par iepakojumu	
Magnēta tips	Neodimīns	Iepakojuma platums	231 mm
Draivera vienība	5 cm	Iepakojuma dziļums	95 mm
Draivera veids	Dinamisks	Iepakojuma augstums	207 mm
Kopējie harmoniskie kropļojumi (THD)	3%	Iepakojuma svars	650 g
Mikrofons		Iepakojuma saturs	
Mikrofona veids *	Mikrofona turētājs	Ātrās startēšanas gids	✓
Mikrofona frekvence	100 - 10000 Hz	Daudzums	1
Mikrofona jutīgums	-40,5 dB	Logistiskie dati	
Mikrofona ieejas pilna pretestība	2200 Ω	Harmonizētās sistēmas (HS) kods	85183000
Mikrofona savienojamība	3,5 mm	Piegādātāja funkcijas	
		Materiāls	Mākslīga āda, Porolons, Tērauds
Papildus informācija		2.5 mm savienotājs	
			✗

Papildus informācija

Pārveidošanas veids	Aizmugurējais elektrets kondensators
Jaudas vadīšana	0,05 W



0193268735217



193268735217

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.