

## Chieftec Core BBS-600S barošanas avotu vienība 600 W 24-pin ATX PS/2 Melns

**Zīmols :** Chieftec

**Preču ģimene:** Core

**Preces kods:** BBS-600S

**Modeļa nosaukums :**  
BBS-600S

Chieftec Core BBS-600S. Kopējā jauda: 600 W, Maiņstrāvas ievades spriegums: 100 - 240 V, Maiņstrāvas ievades frekvence: 47 - 63 Hz. Mātesplates strāvas konektors: 24-pin ATX, Mātesplates barošanas vada garums: 65 cm, SATA strāvas kabeļa garums: 150,500 mm. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: PS/2, 80 PLUS sertifikācija: 80 PLUS Gold. Produkta krāsa: Melns, Dzesēšanas tips: Aktīvs, Ventilatora diametrs: 12 cm. Platums: 140 mm, Dziļums: 150 mm, Augstums: 86 mm



| Energijas pārvaldība                            |                                        | Savienojamība                                |                            |
|-------------------------------------------------|----------------------------------------|----------------------------------------------|----------------------------|
| Kopējā jauda *                                  | 600 W                                  | Perifērālā (Molex) strāvas kabeļa garums     | 150,500 mm                 |
| Maiņstrāvas ievades spriegums *                 | 100 - 240 V                            | PCI Express strāvas konektors (6+2 tapu)     | 2                          |
| Maiņstrāvas ievades frekvence                   | 47 - 63 Hz                             | PCI Express strāvas kabeļa garums            | 50 cm                      |
| Ieejas strāva                                   | 9 A                                    | CPU barošanas savienotājs (4 + 4 pin)        | ✓                          |
| Strāvas faktora korekcija (PFC) veids           | Aktīvs                                 | CPU strāvas kabeļa garums                    | 65 cm                      |
| Kopējā strāva (-12V)                            | 3,6 W                                  | Diskešu diskdziņa strāvas konektors          | 1                          |
| Kopējā strāva (+5Vsb)                           | 12,5 W                                 | Kabeļu tips                                  | Nemodulārs                 |
| Maksimālā izvades strāva (+3.3V)                | 20 A                                   | Darbības rādītāji                            |                            |
| Maksimālā izvades strāva (+12V1)                | 49 A                                   | 80 PLUS sertifikācija *                      | 80 PLUS Gold               |
| Maksimālā izvades strāva (+5V)                  | 20 A                                   | Mērķis, rezultāts *                          | PC (dators)                |
| Maksimālā izvades strāva (-12V)                 | 0,3 A                                  | Strāvas padeves bloka (PSU) formas faktors * | PS/2                       |
| Maksimālā izvades strāva (+5Vsb)                | 2,5 A                                  | Dizains                                      |                            |
| Jaudas aizsardzības apraksts                    | Pārspriegums, Pārslodze, Īssavienojums | Produkta krāsa                               | Melns                      |
| Savienojamība                                   |                                        | Dzesēšanas tips                              | Aktīvs                     |
| Mātesplates strāvas konektors *                 | 24-pin ATX                             | Ventilatora diametrs                         | 12 cm                      |
| Mātesplates barošanas vada garums               | 65 cm                                  | Ventilatoru skaits                           | 1 ventilators/ ventilatori |
| SATA strāvas savienotāju skaits                 | 6                                      | Svars&dimensijas                             |                            |
| SATA strāvas kabeļa garums                      | 150,500 mm                             | Platums                                      | 140 mm                     |
| Perifērās (Molex) strāvas savienotāji (4-pin) * | 3                                      | Dziļums                                      | 150 mm                     |
|                                                 |                                        | Augstums                                     | 86 mm                      |
|                                                 |                                        | Svars                                        | 1,67 kg                    |
|                                                 |                                        | Informācija par iepakojumu                   |                            |
|                                                 |                                        | Iepakojuma svars                             | 2,08 kg                    |

**Logistiskie dati**

Harmonizētās sistēmas (HS) kods 84733020



0753263076137



753263076137



7532630761370

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.