



TP-Link TL-SF1008P tīkla pārslēgs Nepārvaldīts Fast Ethernet (10/100) Power over Ethernet (PoE) Olīvzaļš

Zīmols : TP-Link

Preces kods: TL-SF1008P

Modeļa nosaukums : TL-SF1008P




TP-Link TL-SF1008P. Slēdža tips: Nepārvaldīts. Basic switching RJ-45 Ethernet portu veids: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet portu daudzums: 8. Pilns duplexss. Adrešu tabulas izmērs: 2000 ieraksti, Komutācijas ietilpība: 1,6 Gbit/s. Tīkla standarts: IEEE 802.1Qbb. DC ievades spriegums: 48 V. Saspraudnis: DC-līgзда. Power over Ethernet (PoE)



Vadības īpašības		Dizains	
Slēdža tips *	Nepārvaldīts	Produkta krāsa	Olīvzaļš
Savienojamība		LED indikatori	✓
Basic switching RJ-45 Ethernet portu daudzums *	8	Ventilatoru skaits	0 ventilators/ ventilatori
Basic switching RJ-45 Ethernet portu veids *	Fast Ethernet (10/100)	Darbības rādītāji	
Saspraudnis	DC-līgзда	Ekspansijas moduļa atbalsts	✓
Tīklošana		Iebūvētais procesors	✓
Tīkla standarts *	IEEE 802.1Qbb	Procesora ražotājs	Broadcom
10G atbalsta *	✗	Atmiņas tips	DRAM
Pilns duplexss	✓	Energijas pārvaldība	
Plūsmas kontroles atbalsts	✓	DC ievades spriegums	48 V
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Ethernet LAN datu pārsūtīšanas ātrums	100 Mbit/s	Power over Ethernet (PoE) *	✓
Atbalsta MAC address auto-learning	✓	Power over Ethernet (PoE) pieslēgvietu skaits	4
Atbalsta MAC address auto-aging	✓	Kopējais Power over Ethernet (PoE) budžets	60,2 W
Optiskā šķiedra		Ārējās vides apstākļi	
Šķiedras ethernet kabeļu tehnoloģija	40GBASE-SR4	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Datu pārraide		Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Komutācijas ietilpība *	1,6 Gbit/s	Darbības relatīvā mitruma amplitūda	10 - 90%
Adrešu tabulas izmērs *	2000 ieraksti	Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Uzglabāt un pārsūtīt	✓	Svars&dimensijas	
Drošība		Platums	171 mm
DHCP īpašības	DHCPv6 relay		

Drošība		Svars&dimensijas	
piekļuves vadības saraksts (ACL)	✓	Dziļums	98 mm
Protokoli		Augstums	27 mm
GARP VLAN Reģistrācijas protokols (GVRP)	✓	Iepakojuma saturs	
Maršrutēšanas protokols	OSPF	Lietotāja pamācība	✓
IPv4 un IPv6 īpašības	IPv6 portal	Informācija par iepakojumu	
Dizains		Iepakojuma tips	Kaste
Statņa montāža *	✗	Sertifikāti	
		Sertifikācija	FCC, CE, RoHS
		Logistiskie dati	
		Harmonizētās sistēmas (HS) kods	85176990



1210002616386



1210002616379

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.