

Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White

Brand : Philips

Product family: V Line

Product code: 271V8AW/00

Product name : 271V8AW/00

271V8AW LCD monitor

Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White:

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode and flicker-free for easy-on-the-eyes.

Philips V Line 271V8AW/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: White



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot *	✓
Display resolution *	1920 x 1080 pixels	Cable lock slot type	Kensington
HD type *	Full HD	Height adjustment *	✗
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 20°
Panel type *	IPS	On Screen Display (OSD)	✓
LED backlight	✓	On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Backlight type	W-LED		
Touchscreen *	✗		
Display brightness (typical)	250 cd/m²	Plug and Play	✓
Response time *	4 ms	LED indicators	Operation, Stand-by
Response time measurement type	GTG (Gray to Gray)	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	E
Screen shape *	Flat	Energy efficiency class (HDR) *	Not available
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	21 kWh
Maximum refresh rate *	75 Hz	Power consumption (typical) *	35.39 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Response time (fast)	4 ms	AC input frequency	50/60 Hz
Pixel pitch	0.311 x 0.311 mm	Power supply type	Internal
Pixel density	82 ppi	Operational conditions	
Horizontal scan range	30 - 83 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 60 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	59.8 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size, vertical	33.6 cm	Operating altitude	0 - 3658 m
Display diagonal (metric)	68.6 cm		
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		

Display		Operational conditions	
Colour gamut standard	sRGB	Non-operating altitude	0 - 12192 m
Display sRGB	✓	Weight & dimensions	
Display panel size	27 inch/68.6 cm	Width (with stand)	613 mm
Performance		Depth (with stand)	231 mm
NVIDIA G-SYNC *	✗	Height (with stand)	456 mm
AMD FreeSync *	✗	Weight (with stand)	3.74 kg
VESA Adaptive Sync support	✓	Width (without stand)	613 mm
Component video sync	Separate Sync, Sync-on-green (SOG)	Depth (without stand)	50 mm
Flicker-free technology	✓	Height (without stand)	363 mm
Low Blue Light technology	✓	Weight (without stand)	3.28 kg
Multimedia		Packaging data	
Number of speakers	2	Package width	695 mm
RMS rated power	4 W	Package depth	126 mm
Built-in speaker(s) *	✓	Package height	480 mm
Built-in camera *	✗	Package weight	6.15 kg
Design		Packaging content	
Market positioning *	Home	Stand included	✓
Product colour *	White	Cables included	HDMI, Power
Ports & interfaces		Manual	✓
Built-in USB hub *	✗	Other features	
VGA (D-Sub) ports quantity	1	Compatible operating systems	Mac OS X; Windows 11/10/8.1/8
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	1	Monitor sync input signal	Separate Sync; Sync on Green
HDMI version	1.4	User controls	Power On/Off; Menu/OK; Input/Down; SmartImage/Back; Volume
Audio output	✓	Picture enhancement	SmartImage
PC Audio in	✓	Signal input	VGA (Analogue); HDMI (digital, HDCP)
HDCP	✓	Regulatory Approvals	CE Mark; FCC; ICES-003; CB; EAC; TUV Ergo; TUV/GS
HDCP version	1.4	EasyRead mode	✓
Ergonomics		LowBlue mode	✓
VESA mounting *	✓	Mean time between failures (MTBF)	30000 h
Panel mounting interface	100 x 100 mm	Recycling data	
		Packaging recyclability rate	100%



8712581804398

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.