


## Electrolux LFC316X Wall-mounted Stainless steel 420 m³/h

**Brand :** Electrolux

**Product code:** 942 022 004


**Product name :** LFC316X

Electrolux LFC316X. Maximum extraction power: 420 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: E. Type: Wall-mounted, Product colour: Stainless steel, Colour name: Acciaio INOX. Grease filter type: Aluminium, Number of filters: 2 pc(s). Bulb power: 4 W, Number of bulbs: 2 bulb(s), Bulb type: LED. Energy efficiency class: D, Annual energy consumption: 72.8 kWh, Energy efficiency scale: A+++ to G



| Performance                         |                      | Lighting                               |             |
|-------------------------------------|----------------------|----------------------------------------|-------------|
| Maximum extraction power *          | 420 m³/h             | Bulb power                             | 4 W         |
| Type of extraction *                | Ducted/Recirculating | Number of bulbs                        | 2 bulb(s)   |
| Fluid dynamic efficiency class *    | E                    | Bulb type                              | LED         |
| Lighting efficiency class *         | E                    | Colour temperature                     | 3000 K      |
| Grease filtering efficiency class * | D                    | Lighting position                      | Front       |
| Maximum recirculating power         | 245 m³/h             | Lighting efficiency (LE)               | 9.625 lux/W |
| Number of speeds *                  | 3                    | Power                                  |             |
| Intensive speed                     | ✓                    | Energy efficiency class *              | D           |
| Noise level *                       | 66 dB                | Energy efficiency scale                | A+++ to G   |
| Noise level (low speed)             | 53 dB                | Connected load                         | 128 W       |
| Noise level (high speed)            | 66 dB                | Motor power                            | 120 W       |
| Noise level (recirculation mode)    | 73 dB                | Power consumption (off)                | 0.01 W      |
| Pressure (Pa)                       | 235                  | Annual energy consumption *            | 72.8 kWh    |
| Airflow (low speed)                 | 235 m³/h             | AC input voltage                       | 220-240 V   |
| Minimum distance from electric hob  | 50 cm                | AC input frequency                     | 50 Hz       |
| Minimum distance from gas hob       | 65 cm                | Energy efficiency class (legacy scale) | D           |
| Design                              |                      | Weight & dimensions                    |             |
| Type *                              | Wall-mounted         | Width *                                | 598 mm      |
| Product colour *                    | Stainless steel      | Depth                                  | 450 mm      |
| Colour name                         | Acciaio INOX         | Height                                 | 1020 mm     |
| Hob²Hood function                   | ✗                    | Height (min)                           | 69 cm       |
| Breeze function                     | ✗                    | Height (max)                           | 107 cm      |
| Control type                        | Buttons              | Height without chimney                 | 24 cm       |
| Cord length                         | 1.36 m               | Weight                                 | 7.4 kg      |
| Built-in display *                  | ✗                    | Packaging data                         |             |
| Exhaust location                    | Top                  | Package width                          | 650 mm      |
| Exhaust connection diameter         | 15 cm                | Package depth                          | 310 mm      |
| Number of motors                    | 1                    |                                        |             |

| Design               |           | Packaging data                                 |                     |
|----------------------|-----------|------------------------------------------------|---------------------|
| Motor included       | ✓         | Package height                                 | 555 mm              |
| Filtering            |           | Package weight                                 | 9.62 kg             |
| Grease filter type * | Aluminium | Other features                                 |                     |
| Number of filters    | 2 pc(s)   | Filter                                         | ECFB02ST   ECFBPL01 |
| Removable filter     | ✓         | Measured air pressure at best efficiency point | 151 Pa              |
| Washable filter      | ✓         | Grease filtering efficiency (GFE)              | 65.1%               |
|                      |           | Fluid dynamic efficiency (FDE)                 | 8.1                 |
|                      |           | Country of origin                              | Poland              |



7332543614585

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.