

Electrolux EGG3322NVX Stainless steel Built-in 29 cm Gas 2 zone(s)

Brand : Electrolux

Product code: 949 738 236


Product name : EGG3322NVX

Electrolux EGG3322NVX. Product colour: Stainless steel, Appliance placement: Built-in, Hob width size: 29 cm. Certification: UL|DEMKO. Control type: Rotary, Control position: Front, Electronic ignition type: One hand ignition. Connected load (gas): 4000 W, AC input voltage: 220-240 V, AC input frequency: 50/60 Hz. Width: 290 mm, Depth: 510 mm, Height: 41 mm



Design		Ergonomics	
Colour name	Acciaio INOX	Control type *	Rotary
Number of gas cooking zones *	2 zone(s)	Control position *	Front
Number of electric cooking zones *	0 zone(s)	Built-in display *	✗
Cooking zone 1 type	Large	Timer	✗
Cooking zone 1 shape	Round	Electronic ignition	✓
Cooking zone 1 position	Middle rear	Electronic ignition type	One hand ignition
Cooking zone 1 power source	Gas	Cooker hood	
Cooking zone 1 diameter	98 mm	Built-in hood *	✗
Cooking zone 1 power	3000 W	Power	
Cooking zone 2 type	Simmer	Connected load (gas) *	4000 W
Cooking zone 2 shape	Round	AC input voltage	220-240 V
Cooking zone 2 position	Middle front	AC input frequency	50/60 Hz
Cooking zone 2 power source	Gas	Gas type	NG + LPG (Propane/Butane)
Cooking zone 2 diameter	48 mm	Natural gas calorific type	High-calorific gas (H-gas), Low-calorific gas (L-gas)
Cooking zone 2 power	1000 W	Weight & dimensions	
Wok burner	✗	Width	290 mm
Flexible cooking zone	✗	Depth	510 mm
Product colour *	Stainless steel	Height	41 mm
Knobs colour	Stainless steel	Weight	4.8 kg
Appliance placement *	Built-in	Cord length	1.1 m
Hob width size *	29 cm	Installation compartment width	27 cm
Hob type *	Gas	Installation compartment depth	49 cm
Top surface type *	Stainless steel	Installation compartment height	3 cm
Number of cooking zones *	2 zone(s)	Packaging data	
Frame type	Frameless	Package volume	29760 cm ³
Performance		Package width	400 mm
Boost function	✗		
Frying sensor	✗		

Performance		Packaging data	
Bridge function	✗	Package depth	620 mm
Hob²Hood function	✗	Package height	120 mm
Boil control function	✗	Package weight	5.2 kg
Thermocouple protection	✓	Technical details	
Certification	UL DEMKO	Compliance certificates	UL
		Other features	
		Griddle	✓



7332543475773

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.