



MSI MPG GUNGNIR 100 системный блок Midi Tower Черный

Производитель : MSI

Код товара: MPG GUNGNIR 100

Модель : MPG GUNGNIR 100

MSI MPG GUNGNIR 100. Формат: Midi Tower, Тип: ПК, Цвет товара: Черный. Установленные вентиляторы (передняя панель): 3x 120 mm, Поддерживаемые диаметры вентиляторов (передняя панель): 120,140 mm, Установленные вентиляторы (задняя панель): 1x 120 mm. Поддерживаемые размеры жесткого диска: 2.5,3.5". Ширина: 227 mm, Глубина: 510 mm, Высота: 525 mm



Дизайн		Охлаждение	
Формат *	Midi Tower	Установленные вентиляторы (передняя панель)	3x 120 mm
Тип *	ПК	Максимальное количество вентиляторов (передняя панель)	3
Цвет товара *	Черный	Поддерживаемые диаметры вентиляторов (передняя панель)	120,140 mm
Поддерживаемые форм-факторы материнской платы *	ATX, EATX, Микро ATX, Mini-ATX	Установленные вентиляторы (задняя панель)	1x 120 mm
Количество 3.5" отсеков *	2	Максимальное количество вентиляторов (задняя панель)	1
Количество 2.5" слотов	4	Поддерживаемые диаметры вентиляторов (задняя панель)	120,140 mm
Количество внутреннего резервного пространства 3,5"	2	Максимальное количество вентиляторов (верхняя панель)	3
Количество расширительных разъемов	7	Поддерживаемые диаметры вентиляторов (верхняя панель)	120,140 mm
Боквое окно	✓	возможность жидкостного охлаждения	✓
Подходит для	Игровой	Поддерживаемые размеры переднего радиатора	420 mm
Освещение	✓	Поддерживаются верхние размеры радиаторов	360 mm
Цвет освещения	Мульти	Устройства хранения данных	
Расположение подсветки	Корпусные вентиляторы	Поддерживаемые размеры жесткого диска *	2.5,3.5"
Панель(и) из закаленного стекла	✓	Количество поддерживаемых жестких дисков	2
Кнопка сброса установок	✓	Вес и размеры	
Кнопка включения/выключения	✓	Ширина	227 mm
Светодиодные индикаторы	✓	Глубина	510 mm
Максимальная высота кулера процессора	17 cm	Высота	525 mm
Максимальная длина графического адаптера	40 cm	Вес	9,3 kg
Максимальная длина блока питания	20 cm	Логистические данные	
Блок питания		Код гармонизированной системы описания (HS)	84733080
Блок питания в комплекте *	✗		
Порты и интерфейсы			
Вход аудио	✓		
Выход аудио	✓		

Порты и интерфейсы	Прочие свойства
Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-A * 2	Поддержка соединительной панели ✓



4719072607487

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.