

PHILIPS

Philips GC7933/30 steam ironing station 2400 W 1.5 L SteamGlide Plus soleplate Violet

Brand : Philips

Product code: GC7933/30

Product name : GC7933/30

Philips GC7933/30. Iron power: 2400 W, Steam boost performance: 450 g/min, Soleplate type: SteamGlide Plus soleplate. AC input voltage: 220-240 V, Energy saving percentage: 40%. Cord length: 1.6 m, Hose length: 1.6 m, Cable length: 1.65 m. Width: 200 mm, Depth: 371 mm, Height: 233 mm. Power: 2400 W, Warranty period: 2 year(s)



Features		Features	
Iron power *	2400 W	User manual recycled paper	✓
Non-twisting cord	✓	Steam on demand technology	✓
Maximum steam pressure *	6.5 bar	ProVelocity steam engine	✓
Water tank capacity *	1.5 L	Power	
Removable water tank	✓	AC input voltage	220-240 V
Water tank type	Detachable	Energy saving percentage	40%
Steam boost function	✓	Energy saving mode	✓
Heating time	2 min	Ergonomics	
Steam boost performance *	450 g/min	Cord length	1.6 m
Continuous steam	✓	Cordless	✗
Continuous steam performance *	120 g/min	Cord storage	✓
Vertical steam function	✓	Hose length	1.6 m
Variable steam	✓	Hose storage	✓
Soleplate type *	SteamGlide Plus soleplate	Easy storage	✓
Product colour *	Violet	Built-in power plug	✓
Colour name	None	Cable length	1.65 m
Automatic anti-calc *	✓	Indication	
Calc-clean function	✓	Indication light	✓
Anti-calc collector	✓	Ready indicator	✓
Auto power off	✓	Weight & dimensions	
Anti-drip function	✓	Width	200 mm
Steam tip for hard-to-reach areas	✓	Depth	371 mm
Suitable for tap water	✓	Height	233 mm
Overall recyclability rate	15%	Weight	2.8 kg
Refill any time	✓	Iron weight	1.3 kg
LED indicators	✓	Technical details	
Safe for all fabrics	✓	No temperature setting needed	✓
Auto shut-off	✓	Dangerous goods	✗
Visible water level	✓	Other features	
Precision tip	✓	Power	2400 W
Precision steam tip	✓		
Descaling & cleaning	✓		


Features		Other features	
Optimal TEMP technology	✓	Warranty period	2 year(s)
Locking	✓	Packaging data	
Soleplate gliding star rating	4	Packaging recyclability rate	100%
Soleplate scratch-resistance star rating	4	Package width	230 mm
		Package depth	426 mm
		Package height	265 mm
		Package weight	3.85 kg
		Package type	Box



8710103893035



8710103893042



8710103961413

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.