

Neomounts FPMA-D860BLACK monitora stiprinājums un statīvs 81,3 cm (32") Galds Melns

Zīmols : Neomounts

Preces kods: FPMA-D860BLACK

Modeļa nosaukums : FPMA-D860BLACK

Neomounts FPMA-D860BLACK. Montāža: Skava / starplika, Maksimālais svars (tilpums): 8 kg, Minimālais iespējamais ekrāna izmērs: 25,4 cm (10"), Maksimālais iespējamais ekrāna izmērs: 81,3 cm (32"), Montāžas saskarnes saderība (min): 75 x 75 mm, Montāžas saskarnes saderība (max): 100 x 100 mm. Augsta koriģēšana, Šarnīrsavienojums: -10 - 10°, Slīpuma leņķis: -10 - 10°. Produkta krāsa: Melns



Neomounts



Neomounts

Montāža		Ergonomika	
Maksimālais svars (tilpums) *	8 kg	Šarnīrsavienojums	-10 - 10°
Minimālais iespējamais ekrāna izmērs *	25,4 cm (10")	Sagriešana (rotate)	✓
Atbalstītais ekrānu skaits *	1	Rotācijas leņķis	360°
Maksimāla celjspēja (katram monitoram) *	8 kg	Pagrieziena leņķis	-180 - 180°
Maksimālais iespējamais ekrāna izmērs *	81,3 cm (32")	Piekares punktu skaits	1
Montāža	Skava / starplika	Uzlabota kabeļu pārvaldība	✓
Uzstādīšanas tips *	Galds	Dizains	
Montāžas saskarnes saderība (min) *	75 x 75 mm	Apvalka materiāls	Tērauds
Montāžas saskarnes saderība (max) *	100 x 100 mm	Produkta krāsa *	Melns
VESA-wall mounting system saderīgs	100 x 100,75 x 75 mm	Svars&dimensijas	
Galda biezums (max)	2,5 cm	Dziļums	50 mm
Ergonomika		Augstums	450 mm
Augsta koriģēšana	✓	Svars	2,08 kg
Augstuma regulējuma veids	Manuāls	Informācija par iepakojumu	
Augstuma regulēšanas diapazons	260 - 450 mm	Iepakojuma platums	130 mm
Dziļuma regulēšanas diapazons	0 - 50 mm	Iepakojuma dziļums	90 mm
Slīpuma regulēšana	✓	Iepakojuma augstums	405 mm
Slīpuma leņķis	-10 - 10°	Iepakojuma svars	2,4 kg
Grozišana	✓	Loģistiskie dati	
Šarnīrsavienojuma leņķis	20°	Orīginālās kastes platums	540 mm
		Kastes garums (Master)	320 mm
		Orīginālās kastes augstums	445 mm
		Kastes svars (Master)	12,5 kg
		Daudzums Master kastē	8 pcs
		Izcelsmes valsts	Ķīna
		Galvenās kārbas neto svars	10 kg
		Harmonizētās sistēmas (HS) kods	7326909890

Logistiskie dati

Eiropaletes, daudzums

176 pcs



8717371446710

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.