

Zebra DS2208 Rokas svītrkodu skeneris 1D/2D LED Melns

Zīmols : Zebra

Preces kods: DS2208-SR7U2100AZW

Modeļa nosaukums : DS2208

Zebra DS2208. Tips: Rokas svītrkodu skeneris, Skenēšanas tips: 1D/2D, Sensora tips: LED.
Savienojamības tehnoloģija: Vadu, Standarta interfeisi: USB, RS-232, RS-485, Elektroniskais slēdzis.
Produkta krāsa: Melns, International Protection (IP) code: IP42, Sertifikācija: EN 60950-1 2ed + A11 + A1 + A12 + A2:2013, IEC 60950-1 2ed + A1 + A2, UL 60950-1, CAN/CSA-C22.2.... Barošanas avota veids: Līdzstrāvas, AC adaptera izejas spriegums: 5 V, Jaudas patēriņš: 250 mA. Svars: 161,6 g, Platums: 66 mm, Dziļums: 99 mm



Skenēšana/izvērse		Darbības rādītāji	
Tips *	Rokas svītrkodu skeneris	Sertifikācija	EN 60950-1 2ed + A11 + A1 + A12 + A2:2013, IEC 60950-1 2ed + A1 + A2, UL 60950-1, CAN/CSA-C22.2 No. 60950-1-07 IEC 62471 EN 55022 (Class B); EN 55032 (Class B) EN 55024 EN 61000-3-2 EN 61000-3-3 47 CFR Part 15, Subpart B, Class B ICES-003 Issue 6, Class B
Skenēšanas tips *	1D/2D		
Sensora tips *	LED		
Lineārie (1D) atbalstītie svītrkodi *	Codabar, Code 11, Code 128, Code 39, Code 93, EAN-13, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, U.P.C.		
2D atbalstītie svītrkodi *	Aztec Code, Kompozītu kodi, Datu matrica, Han Xin, MaxiCode, Micro QR Code, PDF417, TLC-39	Enerģijas pārvaldība	
Optiskā sensora izšķirtspēja (P x A)	640 x 480 pikseli	Barošanas avota veids *	Līdzstrāvas
Darbības distance	36,8 cm	AC adaptera izejas spriegums	5 V
Viļņa garums	645 nm	Jaudas patēriņš	250 mA
Sasliešanās lasījuma leņķis	-65 - 65°	Svars&dimensijas	
Līdzena lasījuma leņķis	-65 - 65°	Platums	66 mm
Zvalstīšanās lasījuma leņķis	-65 - 65°	Dziļums	99 mm
Kustības pielāgšana (cm / s)	13	Augstums	165 mm
Savienojamība		Svars *	161,6 g
Savienojamības tehnoloģija *	Vadu	Informācija par iepakojumu	
Standarta interfeisi *	USB, RS-232, RS-485, Elektroniskais slēdzis	Pievienoti kabeli	Micro-USB
Darbības rādītāji		Lādētāja bāze	×
International Protection (IP) code	IP42	Ārējās vides apstākļi	
LED indikatori	✓	Darbības temperatūras amplitūda (T-T)	0 - 50 °C
Produkta krāsa *	Melns	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
		Darbības relatīvā mitruma amplitūda	5 - 95%
		Tehniskā informācija	
		Atbilstības sertifikāti	RoHS

Logistiskie dati

Harmonizētās sistēmas (HS) kods 84716070



5711783381228



8596375044395



0007198686290

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.