

Whirlpool AKR 749/1 IX Полувстроенный (выдвижной) Серый 304 м³/h

Производитель : Whirlpool

Код товара: 859991551230

Модель : AKR 749/1 IX




Whirlpool AKR 749/1 IX. Максимальная мощность извлечения: 304 м³/h, Тип извлечения: Отвод / Рециркуляция воздуха, Класс эффективности гидродинамики: E. Тип: Полувстроенный (выдвижной), Цвет товара: Серый, Материал корпуса: Нержавеющая сталь. Тип масляного фильтра: Алюминий. Мощность лампочки: 2,5 W, Количество ламп: 2 лампа(ы), Тип лампы: LED. Класс энергоэффективности: D, Годовое потребление энергии: 61,6 кВт·ч, Шкала классов энергоэффективности: от A+++ до D



Производительность		Фильтрация	
Максимальная мощность извлечения *	304 м³/h	Моющийся фильтр	✓
Тип извлечения *	Отвод / Рециркуляция воздуха	Освещение	
Класс эффективности гидродинамики *	E	Мощность лампочки	2,5 W
Класс эффективности освещения *	D	Количество ламп	2 лампа(ы)
Класс эффективности фильтрации жира *	D	Тип лампы	LED
Максимальная мощность рециркуляции	125 м³/h	Lighting efficiency (LE)	12,1 lux/W
Число скоростей *	3	Энергопитание	
Ускоренный режим	✗	Класс энергоэффективности *	D
Уровень шума *	62 dB	Шкала классов энергоэффективности	от A+++ до D
Уровень шума (низкая скорость)	46 dB	Подключенная нагрузка	121 W
Уровень шума (высокая скорость)	62 dB	Мощность мотора	116 W
Воздушный поток (низкая скорость)	125 м³/h	Годовое потребление энергии *	61,6 кВт·ч
Дизайн		Входящее напряжение сети	220 -240 V
Тип *	Полувстроенный (выдвижной)	Частота входящего переменного тока	50 - 60 Hz
Цвет товара *	Серый	Сила тока	0,5 A
Материал корпуса	Нержавеющая сталь	Класс энергоэффективности (старый)	D
Таймер	✓	Вес и размеры	
Тип управления	Кнопки	Ширина *	599 mm
Длина шнура	1,5 m	Глубина	300 mm
Встроенный экран *	✗	Высота	180 mm
Диаметр штуцера для отвода воздуха	12 cm	Высота без дымохода	21,1 cm
Число двигателей	1	Вес	6 kg
Мотор в комплекте	✓	Данные об упаковке	
		Ширина упаковки	354 mm
		Глубина упаковки	241 mm

Фильтрация		Данные об упаковке	
Тип масляного фильтра *	Алюминий	Высота упаковки	634 mm
Фильтр против запаха	✗	Масса брутто	7,24 kg
		Прочие свойства	
		Электронное управление	✗
		Grease filtering efficiency (GFE)	66%
		Fluid dynamic efficiency (FDE)	10,2



8003437233678

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.