

GIGABYTE P450B barošanas avotu vienība 450 W 20+4 pin ATX ATX Melns

Zīmols : GIGABYTE

Preces kods: GP-P450B


Modeļa nosaukums : P450B

GIGABYTE P450B. Kopējā jauda: 450 W, Maiņstrāvas ievades spriegums: 100 - 240 V, Maiņstrāvas ievades frekvence: 50 - 60 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, Mātesplates barošanas vada garums: 55 cm, SATA strāvas kabeļa garums: 500 mm. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: ATX, 80 PLUS sertifikācija: 80 PLUS Bronze. Produkta krāsa: Melns, Dzesēšanas tips: Aktīvs, Ventilatora diametrs: 12 cm. Platums: 150 mm, Dziļums: 140 mm, Augstums: 86 mm



Energijas pārvaldība		Savienojamība	
Kopējā jauda *	450 W	Periferālā (Molex) strāvas kabeļa garums	500 mm
Maiņstrāvas ievades spriegums *	100 - 240 V	PCI Express strāvas konektors (6+2 tapu)	2
Maiņstrāvas ievades frekvence	50 - 60 Hz	PCI Express strāvas kabeļa garums	55 cm
Ieejas strāva	8 - 4 A	CPU barošanas savienotājs (4 + 4 pin)	✓
Jaudas koeficients	0,9	CPU strāvas kabeļa garums	60 cm
Strāvas faktora korekcija (PFC) veids	Aktīvs	ATX barošanas savienotājs (20 + 4 pin)	✓
Kopējā strāva (+3,3V)	103 W	Diskēšu diskdziņa strāvas konektors	1
Kopējā strāva (+12V)	432 W	Disketes diskierīces savienotājs	✓
Kopējā strāva (+5V)	103 W	PCI Express savienotājs	✓
Kopējā strāva (-12V)	3,6 W	Kabeļu tips	Nemodulārs
Kopējā strāva (+5Vsb)	15 W	Darbības rādītāji	
Maksimālā izvades strāva (+3.3V)	18 A	80 PLUS sertifikācija *	80 PLUS Bronze
Maksimālā izvades strāva (+12V)	36 A	Mērķis, rezultāts *	PC (dators)
Maksimālā izvades strāva (+5V)	15 A	Strāvas padeves bloka (PSU) formas faktors *	ATX
Maksimālā izvades strāva (-12V)	0,3 A	ATX versija	2.31
Maksimālā izvades strāva (+5Vsb)	3 A	Dzesētāja ass tips	HDB
Turēšanas laiks	16 ms	Vidējais laiks starp kļūmēm (MTBF)	100000 h
Efektivitāte	85%	Dizains	
Jaudas aizsardzības apraksts	Pārstrāva, Pārslodze, Pārspriegums, Pārkaršana, Īssavienojums, Zem sprieguma	Produkta krāsa	Melns
Savienojamība		Dzesēšanas tips	Aktīvs
Mātesplates strāvas konektors *	20+4 pin ATX	Ventilatora diametrs	12 cm
Mātesplates barošanas vada garums	55 cm	Ventilatoru skaits	1 ventilators/ ventilatori
SATA strāvas savienotāju skaits	6	Ventilatora novietojums	Galvas
SATA strāvas kabeļa garums	500 mm	Integrēts on/off slēdzis	✓
Perifērās (Molex) strāvas savienotāji (4-pin) *	3		

Svars&dimensijas	
Platums	150 mm
Dziļums	140 mm
Augstums	86 mm
Logistiskie dati	
Harmonizētās sistēmas (HS) kods	84733020



0813567028659



813567028659



4719331551612

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.