

ProDVX SD-15 39,6 cm (15.6") 250 cd/m² Melns 24/7

Zīmols : ProDVX

Preces kods: 2015100

Modeļa nosaukums : SD-15

ProDVX SD-15. Displeja diagonāle: 39,6 cm (15.6"), Ekrāna izšķirtspēja: 1920 x 1080 pikseļi, Ekrāna spilgtums: 250 cd/m². Eksploatācijas ilgums (stundas/dienas): 24/7. Produkta krāsa: Melns



Displejs		Energijas pārvaldība	
Paneļa veids	IPS	Energija patēriņš *	12 W
LED fona apgaismojums	✓	Ieejas spriegums	12 V / 1.5 A
LED aizmugures apgaismojums veids	Edge-LED	Datorsistēma	
Displeja diagonāle *	39,6 cm (15.6")	Atbalstītie video formāti	AVI, H.264, MKV, MOV, MPEG2, MPEG4, MPG, RM, RMVB, TS
Ekrāna izšķirtspēja *	1920 x 1080 pikseļi	Atbalstītie audio formāti	AAC, MP3
Ekrāna spilgtums *	250 cd/m²	Atbalstāmie attēlu formāti	BMP, JPEG
Projektorā formātu attiecība	16:9	Svars & dimensijas	
Kontrasta attiecība (tipiskā)	800:1	Displeja platums	388 mm
Skata leņķis, horizontāli	160°	Ekrāna dziļums	27 mm
Skata leņķis, vertikāli	160°	Ekrāna augstums	245 mm
Savienojamība		Ekrāna svars	1,7 kg
HDMI pieslēgvietu skaits *	1	Platums	388 mm
HDMI versija	1.4	Dziļums	27 mm
HDMI ievades pieslēgvietu daudzums	1	Augstums	245 mm
USB pieslēgvietā *	✓	Svars	1,7 kg
USB savienotājs	USB Type-A	Ārējās vides apstākļi	
Integrēts karšu lasītājs	✓	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Saderīgās atmiņas kartes	SD	Darbības relatīvā mitruma amplitūda	10 - 90%
DC ieejas ligzda	✓	Uzglabāšanas temperatūras amplitūda (T-T)	-10 - 55 °C
Audio		Uzglabāšanas relatīvā mitruma amplitūda	10 - 90%
Iebūvēti skaļruņi *	✓	Sertifikāti	
Iebūvēto skaļruņu skaits	2	Sertifikācija	CE, RoHS
RMS nominālā jauda	4 W	Tehniskā informācija	
Dizains		Audio izeja (Mini Jack)	Yes
Orientācija	Horizontāli/Vertikāli		
Produkta krāsa *	Melns		

Dizains		Tehniskā informācija	
VESA stiprinājums *	✓	Audio ieeja (mini jack)	✓
VESA-wall mounting system saderīgs	100 x 100 mm	Atbilstības sertifikāti	CE, RoHS
Darbības rādītāji		Papildus informācija	
On Screen Display (OSD)	✓	AC adapteris komplektā	✓
On Screen Display (OSD) valodas	Multi	Audio izeja	3.5 mm
Ekspluatācijas ilgums (stundas/dienas)	24/7	USB 2.0 pieslēgvietu skaits	1
		Kontrasta attiecība	800:1
		Skata leņķis	160°
		Apvalka materiāls	Plastmasa



2000001106884

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.