

TP-Link Archer C54 беспроводной маршрутизатор Быстрый Ethernet Двухдиапазонный (2,4ГГц/5ГГц) Черный

Производитель : TP-Link

Код товара: ARCHER C54

Модель : Archer C54

TP-Link Archer C54. Wi-Fi диапазоны: Двухдиапазонный (2,4ГГц/5ГГц), Основной стандарт Wi-Fi: Wi-Fi 5 (802.11ac), Скорость передачи данных WLAN (макс): 867 Мбит/с. Тип LAN Ethernet интерфейса: Быстрый Ethernet, Скорость передачи данных Ethernet LAN: 10,100 Мбит/с, Стандарты сети: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n. Алгоритмы шифрования данных: WEP, WPA, WPA2, WPA2-Enterprise. Тип продукта: Настольный маршрутизатор, Цвет товара: Черный. Конструкция антенны: Внешний



WAN подключение		Безопасность	
Ethernet WAN *	✓	Алгоритмы шифрования данных	WEP, WPA, WPA2, WPA2-Enterprise
DSL WAN *	✓	Брандмауэр	✓
Слот для SIM-карты *	✗	Список контроля доступа (ACL)	✓
Характеристики беспроводной LAN		Инспекция пакетов с хранением состояния (SPI)	✓
Wi-Fi диапазоны *	Двухдиапазонный (2,4ГГц/5ГГц)	Поддержка DMZ	✓
Основной стандарт Wi-Fi *	Wi-Fi 5 (802.11ac)	Протоколы	
Скорость передачи данных WLAN (макс) *	867 Мбит/с	DHCP клиент	✓
Скорость передачи данных WLAN (первая полоса)	867 Мбит/с	DHCP сервер	✓
Скорость передачи данных WLAN (вторая полоса)	300 Мбит/с	Universal Plug and Play (UPnP)	✓
Сеть		Дизайн	
Подключение Ethernet *	✓	Цвет товара	Черный
Тип LAN Ethernet интерфейса *	Быстрый Ethernet	Тип продукта *	Настольный маршрутизатор
Скорость передачи данных Ethernet LAN	10,100 Мбит/с	Антенна	
Стандарты сети	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n	Конструкция антенны *	Внешний
Переадресация портов	✓	Количество антенн	4
Запуск порта	✓	Энергопитание	
Динамический DNS	✓	Тип источника питания *	Кабель переменного тока
Мобильная сеть		Выходное напряжение	9 V
3G	✗	Ток на выходе	0,85 A
4G	✗	Условия эксплуатации	
		Диапазон температур при эксплуатации	0 - 40 °C
		Диапазон температур при хранении	-40 - 60 °C
		Диапазон относительной влажности при эксплуатации	10 - 90%

Порты и интерфейсы		Условия эксплуатации	
Количество портов Ethernet LAN (RJ-45) *	4	Диапазон относительной влажности при хранении	5 - 90%
Характеристики управления		Вес и размеры	
Поддержка Quality of Service (QoS)	✓	Ширина	115 mm
Кнопка сброса установок	✓	Глубина	106,7 mm
WPS кнопки	✓	Высота	24,3 mm
Технология MU-MIMO	✓		



6935364089337

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.