

Axagon ADE-TRC tīkla karte Ethernet 1000 Mbit/s

Zīmols : Axagon

Preces kods: ADE-TRC

Modeļa nosaukums : ADE-TRC

Axagon ADE-TRC. Savienojamības tehnoloģija: Vadu, Saimnieka interfeiss: USB Veids-C, Interfeiss: Ethernet. Maksimālais datu pārraides ātrums: 1000 Mbit/s. USB barošana. Produkta krāsa: Pelēks



Savienojamība		Dizains	
Savienojamības tehnoloģija *	Vadu	Sertifikācija	CE, RoHS
Saimnieka interfeiss *	USB Veids-C	Enerģijas pārvaldība	
Interfeiss *	Ethernet	USB barošana	✓
Ethernet LAN (RJ-45) pieslēgvietu skaits	1	Sistēmas prasības	
USB versija	2.0/3.2 Gen 1 (3.1 Gen 1)	Atbalstītās Windows operētājsistēmas	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP
Tīklošana		Mac operētājsistēmas atbalstītas	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Maksimālais datu pārraides ātrums *	1000 Mbit/s	Linux operētājsistēma atbalstīta	Kernel 2.6.31, Kernel 2.6.33
Tīkla standarts *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u	Citas atbalstītās operētājsistēmas	Android
Ethernet/LAN savienojums	✓	Servera atbalstītās operētājsistēmas	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 x64, Windows Server 2016, Windows Server 2016 x64
Ethernet interfeisa tips	Tīkls Gigabit Ethernet	Svars&dimensijas	
Ethernet LAN datu pārsūtīšanas ātrums	10,100,1000 Mbit/s	Platums	24 mm
Ieslēgšanās pie signāla no LAN	✓	Dziļums	16 mm
Pilns duplexss	✓	Augstums	59 mm
Jumbo Frames atbalsts	✓	Svars	26 g
Atbalsta VLAN	✓	Informācija par iepakojumu	
LAN kontrollers	Realtek RTL8153	Iepakojuma platums	100 mm
Dizains			
Komponente *	PC / portatīvais dators		
Produkta krāsa	Pelēks		
Iekšējs *	✗		
Chipset	Realtek RTL8153		
Plug and Play	✓		
LED indikatori	✓		
Izcelsmes valsts	Ķīna		

Informācija par iepakojumu	
Iepakojuma dziļums	28 mm
Iepakojuma augstums	203 mm
Iepakojuma svars	63 g
Iepakojuma saturs	
Manuāls	✓
Tehniskā informācija	
Garantijas periods	3 gads(i)
Atbilstības sertifikāti	RoHS, CE



8595247905574

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.