



TP-Link TL-MR3420 bezvadu rūteris Ātrais Ethernet Viena frekvenču josla (2.4 GHz) Melns, Balts

Zīmols : TP-Link

Preces kods: TL-MR3420

Modeļa nosaukums : TL-MR3420

TP-Link TL-MR3420. WAN savienojuma veids: RJ-45. Wi-Fi josla: Viena frekvenču josla (2.4 GHz), Wi-Fi standarts: Wi-Fi 4 (802.11n), WLAN datu pārraides ātrums (maks.): 300 Mbit/s. Ethernet LAN saskarnes tips: Ātrais Ethernet, Ethernet LAN datu pārsūtīšanas ātrums: 10,100 Mbit/s, Tīkla standarts: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u. Ugusmūra drošība: NAT, SPI. Produkta veids: Galda rūteris, Produkta krāsa: Melns, Balts



WAN savienojums	
Ethernet WAN *	✓
DSL WAN *	✗
SIM kartes slots *	✗
3G/4G USB modema saderība *	✓
WAN savienojuma veids	RJ-45
Bezvadu LAN īpašības	
Wi-Fi josla *	Viena frekvenču josla (2.4 GHz)
Wi-Fi standarts *	Wi-Fi 4 (802.11n)
WLAN datu pārraides ātrums (maks.) *	300 Mbit/s
Wi-Fi standartu	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Modulācija	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM
Tīklošana	
Ethernet/LAN savienojums *	✓
Ethernet LAN saskarnes tips *	Ātrais Ethernet
Ethernet LAN datu pārsūtīšanas ātrums	10,100 Mbit/s
Tīkla standarts	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u
Auto MDI/MDI-X	✓
Uztvērēja jutīgums	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER

Iepakojuma saturs	
AC adapteris komplektā	✓
Antena iekļauta	✓
Ātrās instalācijas gids	✓
Ilgstspēja	
Ilgstspējas atbilstība	✓
Antena	
Antenas forma *	Ārējs
Antenas savienotāja tips	RP-SMA
Antenas sasniedzamības līmenis (max)	5 dBi
Antenu daudzums	2
Antenas virziena veids	Omni-directional
Pārraides jauda	20 decibeli uz milivatu
Īpašības	
Programmaparatūra atjauninājama	✓
Enerģijas pārvaldība	
Barošanas avota veids *	AC
Izejas spriegums	12 V
Izejas strāva	1 A
Ārējās vides apstākļi	
Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Darbības relatīvā mitruma amplitūda	10 - 90%

Publication date: 09-SEP-2026. Prints or copies of Information are only valid on the printed Publication date



6935364051495



0854587033407



854587033407



0845973051495



845973051495

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.