

TP-Link TL-SL1311MP tīkla pārslēgs Nepārvaldīts Fast Ethernet (10/100) Power over Ethernet (PoE) Melns

Zīmols : TP-Link

Preces kods: TL-SL1311MP

Modeļa nosaukums : TL-SL1311MP

TP-Link TL-SL1311MP. Slēdža tips: Nepārvaldīts. Basic switching RJ-45 Ethernet portu veids: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet portu daudzums: 10. Adrešu tabulas izmērs: 2000 ieraksti, Komutācijas ietilpība: 7,6 Gbit/s. Tīkla standarts: IEEE 802.3af, IEEE 802.3at. DC ievades spriegums: 53.5 V. Saspraudnis: DC-līgza. Power over Ethernet (PoE)



Vadības īpašības		Energijas pārvaldība	
Slēdža tips *	Nepārvaldīts	Strāvas barošana iekļauta *	✓
Savienojamība		Barošanas avotu skaits	1
Basic switching RJ-45 Ethernet portu daudzums *	10	DC ievades spriegums	53.5 V
Basic switching RJ-45 Ethernet portu veids *	Fast Ethernet (10/100)	Ieejas strāva	2.43 A
SFP moduļa slotu skaits	1	Power over Ethernet (PoE)	
Saspraudnis	DC-līgza	Power over Ethernet (PoE) *	✓
Tīklošana		Power over Ethernet (PoE+) pieslēgvietu skaits	8
Tīkla standarts *	IEEE 802.3af, IEEE 802.3at	Kopējais Power over Ethernet (PoE) budžets	124 W
10G atbalsta *	✗	Ārējās vides apstākļi	
Vara Ethernet kabeļu tehnoloģija	10BASE-T, 100BASE-TX	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Kabeļu tipi, kas ir atbalstīti	Cat3, Cat4, Cat5, Cat5e	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Auto MDI/MDI-X	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
Automātiska vienošanās	✓	Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Datu pārraide		Svars & dimensijas	
Komutācijas ietilpība *	7,6 Gbit/s	Platums	209 mm
Pakešu apstrādes jauda	5,6544 miljons pakešu sekundē	Dziļums	126 mm
Adrešu tabulas izmērs *	2000 ieraksti	Augstums	26 mm
Uzglabāt un pārsūtīt	✓	Iepakojuma saturs	
Jumbo Frames atbalsts	✓	Manuāls	✓
Jumbo rāmji	16000	Informācija par iepakojumu	
Dizains		Iepakojuma tips	Kaste
Statņa montāža *	✗		
Produkta krāsa	Melns		
Ventilatoru skaits	0 ventilators/ ventilatori		

Logistiskie dati


Harmonizētās sistēmas (HS) kods 85176990



6935364006266




6935364006259



0840030702358



840030702358



1210002617215



1210002617208

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.