

ZYXEL

Zyxel VMG4005-B50A ar vadiem pievienojams rūteris Tīkls Gigabit Ethernet Balts

Zīmols : Zyxel

Preces kods: VMG4005-B50A-EU01V1F

Modeļa nosaukums : VMG4005-B50A

Zyxel VMG4005-B50A. Tīkla standarts: IEEE 802.1D, IEEE 802.1Q, Ethernet interfeisa tips: Tīkls Gigabit Ethernet, Kabeļa likšanas tehnoloģija: 10/100/1000Base-T(X). Lejupstraumes datu ātrums: 300 Mbit/s. Vadības protokoli: Web/HTTP. Produkta krāsa: Balts, LED indikatori: LAN, Jauda. Ieejas strāva: 1 A



WAN savienojums		Drošība	
Ethernet WAN *	✗	MAC adreses filtrēšana	✓
DSL WAN *	✓	DoS uzbrukumu novēršana	✓
SIM kartes slots *	✗	Sistēmas notikumu žurnāls	✓
3G/4G USB modema saderība *	✗	Iepakojuma saturs	
Tīklošana		AC adapteris komplektā	✓
Tīkla standarts *	IEEE 802.1D, IEEE 802.1Q	Ātrās startēšanas gids	✓
Ethernet interfeisa tips *	Tīkls Gigabit Ethernet	Dizains	
Kabeļa likšanas tehnoloģija	10/100/1000Base-T(X)	Produkta krāsa *	Balts
Ethernet LAN datu pārsūtīšanas ātrums	10,100,1000 Mbit/s	LED indikatori	LAN, Jauda
Atbalsta VLAN	✓	Integrēts on/off slēdzis	✓
Satiksmes kontrole	✓	Energijas pārvaldība	
DSL īpašības		Ieejas strāva	1 A
Iekšējais modēms	✓	Ārējās vides apstākļi	
VDSL	✓	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
VDSL2	✓	Uzglabāšanas temperatūras amplitūda (T-T)	-30 - 70 °C
Lejupstraumes datu ātrums	300 Mbit/s	Darbības relatīvā mitruma amplitūda	10 - 90%
Vadības īpašības		Uzglabāšanas relatīvā mitruma amplitūda	10 - 95%
Tīkla bāzēts menedžments *	✓	Svars&dimensijas	
Quality of Service (QoS) atbalsts	✓	Platums	130 mm
Atiestates poga	✓	Dziļums	120 mm
Programmaparatūra atjauninājama	✓	Augstums	32 mm
Savienojamība		Svars	173 g
Ethernet LAN (RJ-45) pieslēgvietu skaits *	1		
RJ-11 portu skaits	1		

Savienojamība		Informācija par iepakojumu	
DC ieejas ligzda	✓	Iepakojuma platums	245 mm
Protokoli		Iepakojuma dziļums	142 mm
Vadības protokoli	Web/HTTP	Iepakojuma augstums	42 mm
DHCP klients *	✓	Iepakojuma svars	380 g
DHCP serveris *	✓	Iepakojuma tips	Kaste
Drošība		Logistiskie dati	
Firewall	✓	Harmonizētās sistēmas (HS) kods	85176990



4718937609208

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.