

Whirlpool WI 7020 PF Полностью встраиваемый 14 мест

Производитель : Whirlpool

Код товара: 869991594500

Модель : WI 7020 PF

Whirlpool WI 7020 PF. Размещение бытового устройства: Полностью встраиваемый, Размер: Полный размер (60 см), Цвет двери: Серебристый. Количество мест: 14 мест, Класс шумовыделения: C, Уровень шума: 46 dB. Класс энергоэффективности: E, Потребление воды за цикл: 9,5 L, Энергопотребление на 100 циклов: 95 кВт·ч. Ширина: 598 mm, Глубина: 560 mm, Высота: 900 mm. Масса брутто: 37,5 kg



Дизайн		Энергопитание	
Размещение бытового устройства *	Полностью встраиваемый	Шкала классов энергоэффективности	A - G
Размер *	Полный размер (60 см)	Класс энергоэффективности *	E
Цвет двери *	Серебристый	Потребление энергии за цикл	0,95 кВт·ч
Длина шнура	1,3 m	Потребление воды за цикл *	9,5 L
Длина входящего шланга	1,55 m	Энергопотребление на 100 циклов *	95 кВт·ч
Длина выводящего шланга	1,5 m	Подключенная нагрузка	1900 W
Регулируемая высота верхней корзины	✓	Потребляемая мощность (в режим ожидания)	0,5 W
Производительность		Потребляемая мощность (выкл.)	0,5 W
Уровень шума *	46 dB	Входящее напряжение сети	220 - 240 V
Программы мойки посуды *	Еco 50°C, Стекло/Хрупкий, Intensive 65°C, Предв. стирка, Быстро, Тихий	Частота входящего переменного тока	50 Hz
Количество мест *	14 мест	Сила тока	10 A
Количество программ стирки *	8	Индекс энергоэффективности (EEI)	55,9
Класс шумовыделения *	C	Washing efficiency index (EU 2017/1369)	1,13
Drying performance	C	Drying efficiency index (EU 2017/1369)	1,07
Температура (макс) *	65 °C	Вес и размеры	
Максимальная температура горячего водоснабжения	60 °C	Глубина	560 mm
Продолжительность цикла *	190 min	Высота	900 mm
Таймер отложенного старта	✓	Вес	35,5 kg
Программируемое время старта (макс.)	12 h	Ширина отверстия для установки	60 cm
Длительность режима остановки	12 min	Глубина установочного отверстия	56 cm
Датчик нагрузки	✓	Высота установочного отсека	90 cm
Эргономика		Минимальная высота установки	82 cm
Регулируемые по высоте ножки	✓	Ширина *	598 mm

Эргономика		Данные об упаковке	
Съемный верх	✓	Масса брутто	37,5 kg
Индикация времени до окончания	✓		
Индикатор соли	✓		
Индикатор ополаскивателя	✓		
Контроль с помощью Wi-Fi	✗		



8003437607455

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.