

Chieftec Smart 350W блок питания 20+4 pin ATX ATX Черный, Серебристый

Производитель : Chieftec

Код товара: BFX-350BS

Модель : Smart 350W



Chieftec Smart 350W. Общая мощность: 350 W, Входящее напряжение сети: 100 - 240 V, Частота входящего переменного тока: 47 - 63 Hz. Разъем питания материнской платы: 20+4 pin ATX, Длина кабеля питания материнской платы: 35 см, Длина кабеля питания SATA: 250 mm. Предназначение: ПК, Форм-фактор блока питания (БП): ATX, 80 PLUS сертификация: 80 PLUS Bronze. Цвет товара: Черный, Серебристый, Тип охлаждения: Активный, Диаметр вентилятора: 9 см. Ширина: 125 mm, Глубина: 100 mm, Высота: 64 mm

Энергопитание		Порты и интерфейсы	
Общая мощность *	350 W	Количество разъемов питания SATA	3
Входящее напряжение сети *	100 - 240 V	Длина кабеля питания SATA	250 mm
Частота входящего переменного тока	47 - 63 Hz	Периферийные (Molex) разъемы питания (4-конт) *	2
Ток на входе	5 A	Длина периферийного (Molex) кабеля питания	150 mm
Коэффициент мощности	0,9	Силовой коннектор EPS (4+4)	✓
Тип коррекции коэффициента мощности (PFC)	Активный	Количество 6+2 контактных разъемов для питания PCI Express	1
Комбинированная мощность (+3,3 В)	110 W	Длина кабеля для питания PCI Express	35 cm
Комбинированная мощность (+12 В)	349,92 W	Разъем питания флоппи-дисков	1
Комбинированная мощность (+5 В)	110 W	Длина кабеля для флоппи-дисков	15 cm
Комбинированная мощность (-12 В)	3,6 W	Тип свивки	Немодульный
Комбинированная мощность (+5 VSB)	12,5 W	Производительность	
Максимальный выходной ток (+3.3 В)	18 A	80 PLUS сертификация *	80 PLUS Bronze
Максимальный выходной ток (+12 В1)	29,16 A	Предназначение *	ПК
Максимальный выходной ток (+5 В)	18 A	Форм-фактор блока питания (БП) *	ATX
Максимальный выходной ток (-12 В)	0,3 A	Версия ATX	2.3
Максимальный выходной ток (+5 VSB)	2,5 A	Дизайн	
Функции защиты электропитания	Сверхток, Перенапряжение, Перегревание, Перегрузка, Короткое замыкание, Пониженное напряжение	Цвет товара	Черный, Серебристый
		Тип охлаждения	Активный
		Диаметр вентилятора	9 cm
Вес и размеры			
		Ширина	125 mm

Порты и интерфейсы		Вес и размеры	
Разъем питания материнской платы *	20+4 pin ATX	Глубина	100 mm
		Высота	64 mm
Длина кабеля питания материнской платы	35 cm	Вес	1,3 kg
Логистические данные			
		Код гармонизированной системы описания (HS)	84733020



0753263077486



753263077486

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.