



Canon EOS -1D X Mark III SLR Camera Body 20.1 MP CMOS 5472 x 3648 pixels Black

Brand : Canon Product family: EOS Product code: 3829C003

Product name : EOS-1D X Mark III

EOS 1D X Mark III, Canon EF, 20.1 MP, 5472 x 3648, AF, E-TTL, USB C, LP-E19, 158x167.6x82.6 mm
Canon EOS -1D X Mark III. Camera type: SLR Camera Body, Megapixel (approx.): 20.1 MP, Sensor type: CMOS, Maximum image resolution: 5472 x 3648 pixels. ISO sensitivity (max): 25600. Fastest camera shutter speed: 1/8000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 5496 x 2904 pixels. Display diagonal: 8.13 cm (3.2"). Viewfinder type: Electronic. Weight: 1.25 kg. Product colour: Black



Picture quality		Viewfinder	
Camera type *	SLR Camera Body	Viewfinder type	Electronic
Megapixel (approx.) *	20.1 MP	Magnification	0.76x
Sensor type *	CMOS	Ports & interfaces	
Maximum image resolution *	5472 x 3648 pixels	USB version *	3.2 Gen 2 (3.1 Gen 2)
Still image resolution(s) *	5472x3648, 4368x2912, 3648x2432, 2736x1824	USB connector	USB Type-C
Supported aspect ratios	3:2	HDMI *	✓
Total megapixels	21.4 MP	HDMI connector type	Mini
Image sensor size (W x H)	36 x 24 mm	Microphone in	✓
Image formats supported *	JPEG, Raw	Headphone outputs	1
Lens system		Network	
Lens mount interface	Canon EF	Bluetooth *	✓
Focusing		Wi-Fi *	✓
Focus *	TTL	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Focus adjustment *	Auto/Manual	Camera	
Auto focusing (AF) modes *	Servo Auto Focus, Spot Auto Focus, Tracking Auto Focus	White balance *	Auto, Custom modes, Fluorescent
Auto Focus (AF) object detection	Face	Shooting modes *	Manual
Auto Focus (AF) points	191	Self-timer delay *	2,10 s
Auto Focus (AF) points selection	Auto, Manual	Dioptre correction	✓
Auto Focus (AF) lock	✓	Diopter adjustment (D-D)	-3 - 1
Auto Focus (AF) assist beam	✓	Start-up time	200 ms
Exposure		Playback zoom (max)	10x
ISO sensitivity (min) *	100		
ISO sensitivity (max) *	25600		
ISO sensitivity	100, 25600, 51200, 102400, 204800		

Exposure		Camera	
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	Languages support	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian
Light exposure control	Program AE		
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)		
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot		
Auto Exposure (AE) lock	✓	Histogram	✓
Shutter		GPS (satellite)	✓
Fastest camera shutter speed *	1/8000 s	Orientation sensor	✓
Slowest camera shutter speed *	30 s	Camera file system	DPOF 1.1, Exif 2.31
Camera shutter type	Electronic, Mechanical	Eye relief	2 cm
Flash		Image processor	DIGIC X
Flash modes *	Auto, Manual	Windows operating systems supported	Windows 10, Windows 8.1
Flash exposure lock	✓	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
External flash connector	✓		
Flash sync-speed	1/250 s		
Flash exposure correction	±3EV (1/3 EV step)		
Shoe mounting point	✓	Design	
Shoe mounting point type	Hot shoe	Product colour *	Black
Video		Dustproof	✓
Video recording *	✓	Material	Magnesium
Maximum video resolution *	5496 x 2904 pixels	Battery	
HD type *	4K Ultra HD	Battery technology *	Lithium-Ion (Li-Ion)
Video resolutions	1920 x 1080,3840 x 2160,4096 x 2160	Battery voltage	10.8 V
	Video formats supported	Battery life (CIPA standard)	2850 shots
Audio		Battery capacity	2700 mAh
		Battery type	LP-E19
	Built-in microphone *	✓	Number of batteries supported
Voice recording	✓	Battery recharge time	8 h
Audio formats supported	AAC	Battery level indicator	✓
Memory		Operational conditions	
Compatible memory cards *	CFexpress	Operating temperature (T-T)	0 - 45 °C
		Operating relative humidity (H-H)	0 - 85%
Display		Weight & dimensions	
Display *	TFT	Width	158 mm
Display diagonal *	8.13 cm (3.2")	Depth	82.6 mm
Display diagonal (metric)	8.01 cm	Height	167.6 mm
Display resolution	2100000 dot	Weight	1.25 kg
Field of view	100%	Weight (including battery)	1.44 kg
		Packaging data	
		Quantity per pack	1 pc(s)
		Packaging content	
		Shoulder strap	✓
		Cables included	AC, USB
		Battery charger included	✓
		Batteries included	✓



4549292146011

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.