

Epson EcoTank ET-4800 Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi

Brand : Epson

Product family: EcoTank

Product code: C11CJ65402

Product name : ET-4800

Dye Ink, 5760 x 1440 DPI, Print, Scan, Copy, Fax, USB, WiFi, 5 kg

Epson EcoTank ET-4800. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 5760 x 1440 DPI, Print speed (colour, normal quality, A4/US Letter): 15 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Mono faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



Printing		Ports & interfaces	
Duplex printing mode	Manual	Direct printing *	✓
Print technology *	Inkjet	USB port	✓
Printing *	Colour printing	Network	
Duplex printing *	✓	Wi-Fi *	✓
Maximum resolution *	5760 x 1440 DPI	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-PSK, WPA2-AES
Print speed (colour, normal quality, A4/US Letter)	15 ppm	Mobile printing technologies	Apple AirPrint
Print speed (ISO/IEC 24734) black	10 ppm	Design	
Print speed (ISO/IEC 24734) colour	5 ppm	Product colour *	Black
Time to first page (black, normal)	10 s	Market positioning *	Home & office
Time to first page (colour, normal)	16 s	Built-in display *	✓
Borderless printing	✓	Display	LCD
Copying		Display diagonal	3.81 cm (1.5")
Copying *	Colour copying	Colour display	✓
Scanning		Power	
Scanning *	Colour scanning	Power consumption (copying)	12 W
Optical scanning resolution *	1200 x 2400 DPI	Power consumption (ready)	4.5 W
Scanner type *	Flatbed scanner	Power consumption (sleep)	0.7 W
Scan technology	CIS	Power consumption (off)	0.2 W
Scan speed (black)	4.5 inch/min	Energy Star Typical Electricity Consumption (TEC)	0.13 kWh/week
Scan speed (colour)	4.5 inch/min	AC input voltage	220 - 240 V
Image formats supported	BMP, JPEG, PICT, TIFF, PNG	AC input frequency	50 - 60 Hz
Document formats supported	PDF	System requirements	
Fax		Windows operating systems supported	Windows 10, Windows 8, Windows 7, Windows Vista, Windows 8.1
Faxing *	Mono faxing	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	100 pages		
Auto-redialing	✓		
Fax speed dialing (max numbers)	100		

Fax		System requirements	
Fax forwarding to	PC	Server operating systems supported	Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2008 R2, Windows Server 2016
Error Correction Mode (ECM)	✓		
Features		Weight & dimensions	
Duplex functions *	Print	Width	375 mm
Number of print cartridges *	4	Depth	347 mm
Printing colours *	Black	Height	237 mm
Country of origin	Philippines	Weight	5 kg
Input & output capacity		Packaging data	
Total number of input trays *	1	Package width	420 mm
Total input capacity *	100 sheets	Package depth	445 mm
Total output capacity *	30 sheets	Package height	300 mm
Multi-Purpose tray	✓	Package weight	6.84 kg
Multi-Purpose tray input capacity	100 sheets	Quantity per pack	1 pc(s)
Auto document feeder (ADF) input capacity	30 sheets	Packaging content	
Paper handling		Cartridge(s) included	✓
Maximum ISO A-series paper size *	A4	Included cartridge capacity (black)	3600 pages
Paper tray media types *	Photo paper, Plain paper	Included cartridge capacity (CMY)	6500 pages
ISO A-series sizes (A0...A9) *	A4, A5, A6	Cables included	AC
ISO B-series sizes (B0...B9)	B5, B6	Warranty card	✓
Envelopes sizes	10, C6, DL	Logistics data	
Photo paper sizes	9x13,13x20,20x25	Harmonized System (HS) code	84433100
		Pallet gross weight	0 g
		Products per pallet	25 pc(s)
		Pallet weight (UK)	0 g
		Products per pallet (UK)	35 pc(s)
		Other features	
		Printing method	Epson Micro Piezo
		Number of users	4 user(s)
		Fax polling	✓
		Print head nozzles	180 nozzles black, 59 nozzles per colour



8715946684017

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.