


ASUS PRIME B650M-R AMD B650 Socket AM5 micro ATX

Brand : ASUS

Product code: 90MB1H30-M0EAY0

Product name : PRIME B650M-R

- AM5 Socket for AMD Ryzen Desktop Processors
 - Ultrafast Connectivity: PCIe 4.0, two M.2 slots, Realtek 2.5Gb Ethernet, USB 5Gbps ports, front USB 5Gbps Type-C
 - Comprehensive Cooling: VRM heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
 - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers for RGB LED strips, easily synced with Aura Sync-capable hardware
 - Two-way AI Noise Cancellation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences
- PRIME B650M-R Gaming Mainboard Socket AMD AM5 (microATX, DDR5, PCIe 4.0, Realtek 2.5Gb Ethernet, HDMI, SATA 6 Gbit/s, BIOS Flashback, Aura Sync)



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	USB 2.0 ports quantity *	4
Processor socket *	Socket AM5	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Compatible processor series *	AMD Ryzen 8000 Series, AMD Ryzen 7000 Series	Ethernet LAN (RJ-45) ports *	1
Supported processor sockets	Socket AM5	HDMI ports quantity *	1
Memory		Headphone outputs	1
Supported memory types *	DDR5-SDRAM	Line-in	✓
Number of memory slots *	2	Network	
Memory slots type	DIMM	Ethernet LAN	✓
Memory channels	Dual-channel	Ethernet interface type	2.5 Gigabit Ethernet
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200 MHz	Top Wi-Fi standard	Not available
Supported memory clock speed (max)	7200 MHz	Features	
Maximum internal memory *	96 GB	Motherboard chipset *	AMD B650
Unbuffered memory	✓	Audio output channels *	7.1 channels
Storage controllers		Product colour	Black
Supported storage drive types	HDD & SSD	Component for *	PC
Supported storage drive interfaces *	M.2, SATA III	Motherboard form factor *	micro ATX
Number of HDDs supported	4	Motherboard chipset family *	AMD
Number of storage drives supported	6	Cooling type	Passive
RAID support	✓	Power source type	ATX
RAID levels	0, 1, 10	Windows operating systems supported	Windows 10, Windows 11
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x1 (Gen 4.x) slots	1
Internal I/O		PCI Express x16 (Gen 4.x) slots	1
USB 2.0 connectors *	2	Number of M.2 (M) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	BIOS	
Number of SATA III connectors *	4	BIOS type *	UEFI AMI
S/PDIF out connector	✓	BIOS memory size	256 Mbit
Front panel audio connector	✓		
ATX Power connector (24-pin)	✓		

Internal I/O		Packaging data	
CPU fan connector	✓	Package width	260 mm
Number of chassis fan connectors	2	Package depth	270 mm
EPS power connector (8-pin)	✓	Package height	51.5 mm
Number of COM connectors	1	Package weight	855 g
TPM connector	✓	Weight & dimensions	
12V power connector	✓	Width	236 mm
RGB LED pin header	✓	Depth	221 mm
		Packaging content	
		Cables included	SATA
		User guide	✓
		Other features	
		Back-to-BIOS button	✓



4711387429761

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.