



D-Link DGS-1016D/E network switch Unmanaged Black, Metallic

Brand : D-Link

Product code: DGS-1016D/E

Product name : DGS-1016D/E

DGS-1016D/E - Gigabit Ethernet, QoS, Flow Control, 32Gbps
D-Link DGS-1016D/E. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports quantity: 16. Full duplex. MAC address table: 8000 entries, Switching capacity: 32 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Rack mounting



Management features		Operational conditions	
Switch type *	Unmanaged	Operating relative humidity (H-H)	5 - 95%
Quality of Service (QoS) support	✓	Weight & dimensions	
Ports & interfaces		Width	281.9 mm
Basic switching RJ-45 Ethernet ports quantity *	16	Depth	180.3 mm
Network		Height	44.5 mm
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Weight	1.35 kg
10G support *	✗	Packaging data	
Copper ethernet cabling technology	1000BASE-T, 100BASE-T, 10BASE-T	Package width	180 mm
Full duplex	✓	Package depth	328 mm
Flow control support	✓	Package height	108 mm
Auto MDI/MDI-X	✓	Package weight	1.71 kg
Data transmission		Technical details	
Switching capacity *	32 Gbit/s	Shipping (inner) case height	35.9 cm
MAC address table *	8000 entries	Shipping (inner) case width	19.7 cm
Store-and-forward	✓	Shipping (inner) case length	57.2 cm
Maximum data transfer rate	1 Gbit/s	Shipping (inner) case net weight	8.54 kg
Jumbo frames support	✓	Products per shipping (inner) case	5 pc(s)
Packet buffer memory	0.340 MB	Pallet gross weight (air)	295.7 kg
Design		Master (outer) cases per pallet (air)	30 pc(s)
Rack mounting *	✓	Products per pallet (air)	150 pc(s)
Stackable *	✓	Pallet gross length	110 cm
Product colour	Black, Metallic	Pallet gross width	120 cm
LED indicators	✓	Pallet height (air)	121.2 cm
Performance		Pallet gross weight (sea)	480.3 kg
Mean time between failures (MTBF)	828109 h	Master (outer) cases per pallet (sea)	50 pc(s)
Power		Products per pallet (sea)	250 pc(s)
AC input voltage	100 - 240 V	Pallet height (sea)	193 cm
AC input frequency	50 - 60 Hz	Shipping (inner) case gross weight	9.21 kg
Power consumption (typical)	11.7 W	Certificates	
Power over Ethernet (PoE)		Certification	FCC Class A, CE, ICES-003, VCCI, C-Tick, RoHS
Power over Ethernet (PoE) *	✗	Logistics data	
Operational conditions		Harmonized System (HS) code	85176990
Operating temperature (T-T)	0 - 40 °C		

Operational conditions

Storage temperature (T-T) -10 - 55 °C



0790069269974




790069269974



7900692699748



9789800333440



5715063662021

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.