

TP-Link Outdoor Pan/Tilt Security Wi-Fi Camera SPEC: 3K 5MP (2880x1620), 2.4 GHz, 2 × External Antennas, 1 × Ethernet Port, Horizontal 360°

Brand : TP-Link

Product code: TAPO C530WS

Product name : Outdoor Pan/Tilt Security Wi-Fi Camera
SPEC: 3K 5MP (2880x1620), 2.4 GHz, 2 × External Antennas,
1 × Ethernet Port, Horizontal 360°

Outdoor Pan/Tilt Security Wi-Fi Camera SPEC: 3K 5MP (2880x1620), 2.4 GHz, 2 × External Antennas, 1 × Ethernet Port, Horizontal 360°

TP-Link Outdoor Pan/Tilt Security Wi-Fi Camera SPEC: 3K 5MP (2880x1620), 2.4 GHz, 2 × External Antennas, 1 × Ethernet Port, Horizontal 360°. Type: IP security camera, Placement supported: Outdoor, Connectivity technology: Wired & Wireless. Mounting type: Wall, Product colour: White, Form factor: Turret. Lens viewing angle, horizontal: 95°, Lens viewing angle, vertical: 53°, Lens viewing angle, diagonal: 112°. Sensor type: CMOS, Optical sensor size: 25.4 / 3 mm (1 / 3"). Sensor type (panoramic camera): CMOS




Performance		Audio	
Type *	IP security camera	Number of microphones	1
Placement supported *	Outdoor	Audio detection	✓
Connectivity technology *	Wired & Wireless	Network	
Auto pan mode	✓	Ethernet LAN *	✓
Maximum operating distance	29.9 m	Networking standards	IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Day/night mode	✓	Wi-Fi *	✓
Remote viewing	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Antenna type	External	Bluetooth *	✗
Antennas quantity	2	Live view	✓
Design		Storage	
Form factor *	Turret	Compatible memory cards	MicroSD (TransFlash)
Mounting type *	Wall	Maximum memory card size	512 GB
Product colour *	White	Ports & interfaces	
Housing material	Metal	Ethernet LAN (RJ-45) ports	1
Protection features	Waterproof	Security	
International Protection (IP) code	IP66	Built-in siren	✓
Weatherproof	✓	Siren noise level	99 dB
Camera		Video motion detection	✓
Camera pan control	✓	HTTPS encryption	✓
Camera tilt control	✓	Alert notification type	Push notification
Lens viewing angle, horizontal	95°	Motion sensor	✓
Lens viewing angle, vertical	53°	Mirror	✓
Lens viewing angle, diagonal	112°		
Tilt angle range	60 - 130°		

Image sensor		Management features	
Optical sensor size	25.4 / 3 mm (1 / 3")	Cloud-managed *	✓
Progressive scan	✓	Reset button	✓
Sensor type *	CMOS	Remotely operated	✓
Panoramic camera		Power	
Sensor type (panoramic camera)	CMOS	Power source type *	AC, DC
Lens system		AC input voltage	100 - 240 V
Digital zoom	12x	AC input frequency	50/60 Hz
Focal length range	3.2 mm	DC output voltage	9
Night vision		DC output current	0.85 A
Night vision *	✓	Operational conditions	
LED type	IR/White	Operating temperature (T-T)	-30 - 60 °C
Video		Storage temperature (T-T)	-40 - 60 °C
Maximum resolution *	2880 x 1620 pixels	Operating relative humidity (H-H)	10 - 90%
Total megapixels *	5 MP	Storage relative humidity (H-H)	0 - 90%
Video compression formats	H.264	Weight & dimensions	
Supported graphics resolutions	2880 x 1620	Width	123.8 mm
Video recording	✓	Depth	90 mm
Frame rate	30 fps	Height	123 mm
Image quality adjustment	DNR	Packaging data	
Audio		Package width	160 mm
Built-in speaker(s)	✓	Package depth	210 mm
Audio system	2-way	Package height	145 mm
Audio input channels	1.0 channels	Package weight	740 g
Audio output channels	1.0 channels	Package type	Box
Audio formats supported	RTSP	Packaging content	
Built-in microphone	✓	Number of cameras *	1
		Mounting kit	✓
		Mounting brackets included	✓
		Screws included	✓
		Drilling template included	✓
		Manual	✓



1210002606745



8885020624984



8885020629200

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.