



APC Smart-UPS SMT1500RMI2UC - 4x C13, USB, Rackmount 2U, SmartConnect, 1500VA



Brand : APC

Product code: SMT1500RMI2UC

Product name : APC Smart-UPS SMT1500RMI2UC - 4x C13, USB, Rackmount 2U, SmartConnect, 1500VA

APC Smart-UPS SMT1500RMI2UC - 4x C13, USB, Rack Mountable, 2U, SmartConnect, 1500VA
APC Smart-UPS SMT1500RMI2UC - 4x C13, USB, Rackmount 2U, SmartConnect, 1500VA. UPS topology: Line-Interactive, Output power capacity: 1.5 kVA, Output power: 1000 W. AC outlet types: C13 coupler, IEC Jumpers, Power plug: C14 coupler, AC outlets quantity: 4 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery life (max): 6 year(s), Battery recharge time: 3 h. Form factor: Rackmount, Product colour: Black, Rack capacity: 2U. Certification: CE, EAC, EN / IEC 62040-1, EN / IEC 62040-2, Energy Star 1.0 (EU), RCM, TÜV, VDE

Features		Design	
UPS topology *	Line-Interactive	Rack capacity	2U
Output power capacity *	1.5 kVA	Product colour *	Black
Output power *	1000 W	Display type	LCD
Waveform *	Sine	LED indicators	✓
Input operation voltage (min) *	151 V	Operational conditions	
Input operation voltage (max) *	302 V	Operating temperature (T-T)	0 - 40 °C
Input frequency *	50/60 Hz	Storage temperature (T-T)	-15 - 45 °C
Output operation voltage (min)	220 V	Operating relative humidity (H-H)	0 - 95%
Output operation voltage (max)	240 V	Storage relative humidity (H-H)	0 - 95%
Output frequency	50/60 Hz	Operating altitude	0 - 3000 m
Surge energy rating	459 J	Non-operating altitude	0 - 15000 m
Response time	10 ms	Certificates	
Noise level	46 dB	Certification	CE, EAC, EN / IEC 62040-1, EN / IEC 62040-2, Energy Star 1.0 (EU), RCM, TÜV, VDE
Audible alarm(s)	✓	Packaging content	
Audible alarm modes	Alarm when on battery, Low battery alarm	Rack mount kit	✓
Auto-restart	✓	Cables included	RS-232, USB cable
Ports & interfaces		Management card included	✗
AC outlet types	C13 coupler, IEC Jumpers	Manual	✓
Power plug	C14 coupler	Sustainability	
AC outlets quantity	4 AC outlet(s)	Sustainability certificates	ENERGY STAR, Green Premium
USB port	✓	Weight & dimensions	
Serial interface	✓	Width	432 mm
Serial interface type	RJ-45	Depth	477 mm
SmartSlot	✓	Height	86 mm
SmartConnect port	✓	Weight	26.1 kg
Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Resource CD	✓
Number of batteries supported	1	Package width	594 mm
Battery life (max)	6 year(s)	Package depth	603 mm
Battery recharge time	3 h	Package height	251 mm
Hot-swap battery	✓	Package weight	31.9 kg
Automatic battery test	✓	Logistics data	
Cold start	✓	Products per pallet	8 pc(s)
Design		Harmonized System (HS) code	85078000
Form factor *	Rackmount	Total carbon footprint (kg of CO2e)	1416.6

Other features

Output voltage	230 V
----------------	-------



0731304333005



731304333005

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.